

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

ANALGESICS		
Drug Class	Preferred Agents	Non-Preferred Agents
Narcotics – Long Acting	morphine sulfate ER tablets Embeda®	Arymo ER® Belbuca® Conzip ER® Exalgo® hydromorphone ER® Hysingla ER® Kadian® methadone Morphabond ER® morphine sulfate ER caps (generic Avinza®) morphine sulfate ER caps (generic Kadian®) MS Contin® Nucynta ER® Oramorph SR® Oxycontin® oxycodone ER oxymorphone ER tramadol ER Ultram ER® Xtampza ER® Zohydro ER®
Narcotics – Short and Intermediate Acting	codeine codeine / APAP Codeine / APAP/caffeine codeine / ASA codeine phosphate hydrocodone / APAP hydrocodone/ ibuprofen hydromorphone oral tablets morphine sulfate tabs / soln / supp oxycodone (immediate release)	Abstral® Actiq® butorphanol Capital w/ Codeine® codeine oral solution codeine / APAP/caffeine /butalbital codeine / ASA /caffeine /butalbital Demerol® all forms dihydrocodeine/APAP/caffeine Dilaudid® all forms fentanyl citrate buccal Fentora®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

ANALGESICS		
Drug Class	Preferred Agents	Non-Preferred Agents
	oxycodone / APAP tramadol	<i>Fioricet w/ Codeine®</i> <i>Fiorinal w/ Codeine®</i> <i>Hycet®</i> <i>hydromorphone suppository</i> <i>Ibudone®</i> <i>Lazanda®</i> <i>Lorcet®</i> <i>Lortab®</i> <i>meperidine</i> <i>Nalocet®</i> <i>Norco®</i> <i>Nucynta®</i> <i>Onsolis®</i> <i>Opana®</i> <i>opium</i> <i>Oxaydo®</i> <i>Oxecta®</i> oxycodone / ASA <i>oxycodone capsules (20mg, 30mg), oral conc soln, oral syr</i> <i>oxycodone/ibuprofen</i> <i>Oxydose®</i> <i>Oxyfast®</i> <i>OxylR®</i> <i>oxymorphone pentazocine/naloxone</i> <i>Percocet®</i> <i>Percodan®</i> <i>Primlev®</i> <i>Reprexain®</i> <i>Roxanol®</i> <i>Roxicodone®</i> <i>Rybix ODT®</i> <i>Stadol®, Stadol NS®</i> <i>Subsys®◆</i> <i>Talwin®, Talwin NX®</i> <i>tramadol/APAP</i> <i>Tylenol #2®</i> <i>Tylenol #3®</i>

- 1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.
- 2 Quantity limits apply – See MPPL on website for details
- 3 Prior Authorization Required if Beneficiary is Over the Age of 65.
- 4 Prior Authorization Required for Beneficiaries Under Age of 6.
- 5 PA required if a benzodiazepine is found in beneficiary drug history
- 7 Providers should consult yearly CDC guidelines for Influenza
- 8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history
- 9 PA required if no history of oral anti-nausea drugs in beneficiary drug history
- 10 Prior Authorization Required for Beneficiaries Under Age of 15.
- 11 Prior Authorization Required for Beneficiaries Under Age of 18.

- 12 Components of product must be in drug history
 - 13 Concurrent use or trial of metformin required
 - 14 Trial of OTC benzoyl peroxide must be in beneficiary drug history
 - 15 Electronic Step edit: a statin must be in beneficiary drug history
 - 16 Prior Authorization Required for Beneficiaries Over Age of 15
 - 17 Electronic Step edit: 2 or more NSAIDs on MPPL in history
- APAP = Acetaminophen ASA = Aspirin
 CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide
 ◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

ANALGESICS		
Drug Class	Preferred Agents	Non-Preferred Agents
		<i>Tylenol #4®</i> <i>Tylenol w/ Codeine Elixir®</i> <i>Tylox®</i> <i>Ultracet®</i> <i>Ultram®</i> <i>Verdrocet®</i> <i>Vicodin®</i> <i>Vicoprofen®</i> <i>Vopac®</i> <i>Wygesic®</i> <i>Xartemis XR®</i> <i>Xodol®</i> <i>Zolvit®</i> <i>Zydone®</i>
Narcotics – Transdermal	fentanyl patches (generic only)	<i>buprenorphine patches</i> <i>Butrans®</i> <i>Duragesic®</i> <i>fentanyl generic patches 37.5 mg, 62.5 mg and 87.5 mg strengths only</i>
Non-Steroidal Anti-Inflammatory – Cox II Inhibitors		<i>Celebrex®</i> celecoxib ^{2, 17}
Opiate Dependence Treatments ♦	buprenorphine SL tabs (generic for Subutex) Suboxone® SL films Sublocade® SC injection Vivitrol® IM injection Zubsolv® SL tabs	<i>Bunavail® sublingual films</i> <i>buprenorphine/naloxone SL film and tabs (generic Suboxone)</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

ANTIBIOTICS / ANTI-INFECTIVES		
Drug Class	Preferred Agents	Non-Preferred Agents
Antibiotics – Inhaled	Bethkis® Cayston® Kitabis® Tobi-Podhaler® (after a trial of inhaled tobramycin or clinical justification)	<i>tobramycin solution (inhalation)</i> <i>TOBI inhalation</i>
Antifungals – Oral	clotrimazole troches fluconazole griseofulvin oral suspension nystatin oral susp terbinafine♦	<i>Cresemba®</i> <i>Diflucan®</i> <i>flucytosine</i> <i>griseofulvin tablet</i> <i>griseofulvin microsize tablets</i> <i>griseofulvin ultramicrosize</i> <i>Gris-Peg®</i> <i>itraconazole</i> <i>ketoconazole</i> <i>Lamisil®♦</i> <i>Mycelex®</i> <i>Mycostatin®</i> <i>Nizoral®</i> <i>Noxafil®</i> <i>Noxafil DR®</i> <i>nystatin tablets</i> <i>Onmel®</i> <i>Oravig®</i> <i>Sporanox®</i> <i>Vfend®</i> <i>voriconazole</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral antinausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

ANTIBIOTICS / ANTI-INFECTIVES		
Drug Class	Preferred Agents	Non-Preferred Agents
Antifungals – Topical	ciclopirox suspension (generic for Loprox®) clotrimazole OTC cream clotrimazole/betamethasone cream ketoconazole miconazole nitrate nystatin tolnaftate	<i>Ciclodan®</i> <i>ciclopirox</i> <i>clotrimazole / betamethasone lotion</i> <i>clotrimazole Rx cream, solution</i> <i>DermacinRx Therazole Pak®</i> econazole nitrate <i>Ertaczo®</i> <i>Exelderm®</i> <i>Extina®</i> <i>Jublia ®</i> <i>Kerydin®</i> <i>ketoconazole foam</i> <i>Ketodan®</i> <i>Loprox®</i> <i>Lotrimin AF®</i> <i>Lotrisone®</i> <i>luliconazole</i> <i>Luzu®</i> <i>Mentax®</i> <i>miconazole/zinc oxide/petrolatum</i> <i>Naftin®</i> <i>Nizoral®</i> <i>nystatin / triamcinolone cream, ointment</i> <i>Oxistat®</i> <i>Pedipirox-4®</i> <i>Penlac®</i> <i>Vusion®</i> <i>Xolegel®</i>
Antivirals – Herpes	acyclovir tablets, capsules, suspension famciclovir valacyclovir	<i>Sitavig®</i> <i>Valtrex®</i> <i>Zovirax®</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

ANTIBIOTICS / ANTI-INFECTIVES		
Drug Class	Preferred Agents	Non-Preferred Agents
Antivirals – Influenza⁷	oseltamivir Relenza® rimantadine Tamiflu® Xofluza®	<i>Flumadine®</i>
Antivirals – Topical	Denavir® Zovirax® Cream	<i>acyclovir cream, ointment</i> <i>Xerese®</i> <i>Zovirax® Ointment</i>
Cephalosporins - 1st Generation	cefadroxil capsules, suspension cephalexin	<i>cefadroxil tablets</i> <i>Daxbia®</i> <i>Duricef®</i> <i>Keflex®</i>
Cephalosporins - 2nd Generation	cefuroxime cefprozil tabs, suspension	<i>cefaclor / cefaclor ER</i>
Cephalosporins - 3rd Generation	cefdinir Suprax® capsules, chew tabs, suspension	<i>cefixime suspension</i> <i>cefpodoxime tablets, suspension</i>
Hepatitis C	Pegasys® Peg-Intron® ribavirin	<i>Intron A®</i> <i>Rebetol®</i> <i>Ribapak®</i> <i>Ribasphere®</i> <i>ribavirin dose pack</i>
Hepatitis C – Direct-Acting Antivirals♦	Daklinza® Epclusa® Harvoni® Mavyret® Sovaldi® Technivie® Viekira Pak®, Viekira XR® Vosevi® Zepatier®	Olysio®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

ANTIBIOTICS / ANTI-INFECTIVES		
Drug Class	Preferred Agents	Non-Preferred Agents
Macrolides	azithromycin clarithromycin E.E.S.® 200mg suspension erythromycin ethylsuccinate tablets Erythrocin®	<i>Biaxin® / Biaxin XL® / Biaxin Susp®</i> <i>clarithromycin ER</i> <i>Dynabac®</i> <i>E.E.S.® tablets and 400mg suspension</i> <i>EryPed®</i> <i>Ery-Tab®</i> <i>erythromycin base</i> <i>erythromycin ethylsuccinate 200mg and 400mg susp.</i> <i>PCE®</i> <i>Zithromax® tablets, suspension</i> <i>Zmax®</i>
Oxazolidinones	linezolid	<i>Sivextro®</i> <i>Zyvox®</i>
Quinolones	ciprofloxacin tablets levofloxacin	<i>Avelox®</i> <i>Baxdela®</i> <i>ciprofloxacin suspension</i> <i>ciprofloxacin ER</i> <i>Cipro® / Cipro XR®</i> <i>Levaquin®</i> <i>moxifloxacin</i> <i>ofloxacin</i>
Ophthalmic Fluoroquinolones	ciprofloxacin Moxeza® ofloxacin Vigamox®	<i>Besivance®</i> <i>Ciloxan®</i> <i>gatifloxacin</i> <i>levofloxacin</i> <i>moxifloxacin (generic for Vigamox®)</i> <i>Ocuflox®</i> <i>Zymaxid®</i>
Ophthalmic Macrolides	Azasite®	
Otic Quinolones	Ciprodex®	<i>Cetraxal®</i> <i>ciprofloxacin otic</i> <i>Cipro HC®</i> <i>ofloxacin otic</i> <i>Otovel®</i>
Topical Antibiotics	mupiricin ointment	<i>Centany®</i> <i>mupiricin cream</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

ANTIBIOTICS / ANTI-INFECTIVES		
Drug Class	Preferred Agents	Non-Preferred Agents
Gastrointestinal Antibiotics	metronidazole tablets vancomycin capsules	<i>Alinia®</i> <i>Dificid®</i> <i>Firvanq®</i> <i>Flagyl® tablets and capsules</i> <i>metronidazole capsules</i> <i>neomycin tablets</i> <i>tinidazole</i> <i>Vancocin®</i> <i>Xifaxan®</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral antinausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

ASTHMA / COPD		
<i>DPI = dry powder inhaler; MDI = metered dose inhaler; ISI = inhalation spray inhaler</i>		
Drug Class	Preferred Agents	Non-Preferred Agents
Anticholinergic Agents - Short Acting	Atrovent nebulizer solution Atrovent HFA® (MDI) ipratropium nebulizer solution	
Anticholinergic Agents - Long Acting	Spiriva® (DPI)	Incruse Ellipta® (DPI) Lonhala Magnair nebulizer solution Seebri Neohaler® (DPI) Spiriva Respimat® (ISI) Tudorza Pressair® (DPI)
Beta Adrenergic and Anticholinergic Combinations	Bevespi Aerosphere® (MDI) Combivent RESPIMAT® (ISI) Stiolto Respimat® (ISI)	Anoro Ellipta® (DPI) Utibron Neohaler® (DPI)
Beta Adrenergics – Short Acting MDI	ProAir HFA® (MDI) Proventil HFA® (MDI)	albuterol HFA (MDI) levalbuterol HFA (MDI) ProAir Respiclick® (DPI) Xopenex HFA® (MDI) Ventolin HFA® (MDI)
Beta Adrenergics – Long Acting	Serevent® (DPI)	Arcapta® (DPI) Brovana® nebulizer solution Perforomist® nebulizer solution Striverdi Respimat® (ISI)
Beta Adrenergics, Anticholinergics and Corticosteroids for Nebulizers	albuterol sulfate nebulizer solution Atrovent nebulizer solution ipratropium/albuterol nebulizer solution Pulmicort® Respules nebulizer solution	Brovana® nebulizer solution budesonide nebulizer solution levalbuterol nebulizer solution Perforomist® nebulizer solution Xopenex® nebulizer solution
Beta Adrenergic and Corticosteroid Inhaler Combinations	Advair Diskus® (DPI) Dulera® (MDI) Symbicort® (MDI)	Advair HFA® (MDI) AirDuo Respiclick® (DPI) Breo Ellipta® (DPI) Trelegy Ellipta® (DPI)

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

ASTHMA / COPD		
<i>DPI = dry powder inhaler; MDI = metered dose inhaler; ISI = inhalation spray inhaler</i>		
Drug Class	Preferred Agents	Non-Preferred Agents
Phosphodiesterase-4 (PDE-4) Inhibitors		<i>Daliresp</i> ®◆
Inhaled Glucocorticoids	Asmanex® Twisthaler (<i>DPI</i>) Flovent HFA® (<i>MDI</i>) Pulmicort® Respules nebulizer solution	<i>Aerospan</i> ® (<i>MDI</i>) <i>Alvesco</i> ® (<i>MDI</i>) <i>Armonair Respiclick</i> ® (<i>DPI</i>) <i>Arnuity Ellipta</i> ® (<i>DPI</i>) <i>Asmanex HFA</i> ® (<i>DPI</i>) <i>budesonide nebulizer solution</i> <i>Flovent Diskus</i> ® (<i>DPI</i>) <i>Pulmicort Flexihaler</i> ® (<i>DPI</i>) <i>QVAR Redihaler</i> ® (<i>MDI</i>)
Leukotriene Inhibitors	montelukast tablets, chew tabs	<i>Accolate</i> ® <i>montelukast granules</i> <i>Singulair</i> ® tablets, chew tabs, granules <i>Zyflo</i> ® / <i>Zyflo CR</i> ® <i>zafirlukast</i> <i>Zilueton ER</i> ®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

ALLERGY		
Drug Class	Preferred Agents	Non-Preferred Agents
Antihistamines – 2nd Generation	cetirizine levocetirizine tablets loratadine / loratadine ODT	<i>Allegra® / Allegra® Suspension</i> <i>cetirizine chewable tabs, caps, 5mg/5 ml solution</i> <i>Clarinetx®/ Clarinetx ODT</i> <i>Claritin® tablets, syrup / Claritin Redi-Tab®</i> <i>desloratadine</i> <i>fexofenadine tablets, suspension</i> <i>levocetirizine solution</i> <i>Xyza® tablets, solution</i> <i>Zyrtec®</i>
Nasal Anticholinergics	ipratropium nasal	
Nasal Antihistamines	azelastine (generic for Astepro and Astelin)	<i>Astepro®</i> <i>Dymista®</i> <i>olopatadine</i> <i>Patanase Nasal®</i>
Nasal Corticosteroids	fluticasone (Rx)	<i>Beconase AQ®</i> <i>budesonide</i> <i>Dymista®</i> <i>Flonase OTC®</i> <i>Flonase Sensimist®</i> <i>flunisolide</i> <i>fluticasone (OTC)</i> <i>mometasone</i> <i>Nasacort®</i> <i>Nasonex®</i> <i>Nasarel®</i> <i>Omnaris®</i> <i>Qnasl®</i> <i>Rhinocort®</i> <i>Ticanase®</i> <i>triamcinolone</i> <i>Xhance®</i> <i>Zetonna®</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

BEHAVIORAL HEALTH		
Drug Class	Preferred Agents	Non-Preferred Agents
Atypical Antipsychotics	Abilify® Abilify Maintena® aripiprazole Aristada®, Aristada Initio® clozapine Clozaril® Fanapt® Fazaclo® Geodon® Invega® Invega Sustenna®, Invega Trinza® Latuda® Nuplazid® olanzapine paliperidone Perseris® quetiapine Rexulti® risperidone Risperdal®, Risperdal Consta® Saphris® Seroquel®, Seroquel XR® Versacloz® Vraylar® ziprasidone Zyprexa®, Zyprexa Relprevv®	
Antipsychotic-Antidepressant Comb.	olanzapine/fluoxetine Symbyax®	

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral antinausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

BEHAVIORAL HEALTH		
Drug Class	Preferred Agents	Non-Preferred Agents
Antidepressants – Newer Generations	Aplenzin® Brisdelle® bupropion bupropion hydrobromide ER Celexa® citalopram Cymbalta® Emsam® escitalopram Fetzima® fluoxetine fluvoxamine Forfivo XL® Khedezla® Lexapro® Luvox CR® mirtazapine nefazodone Oleptro® paroxetine Paxil® Pexeva® Pristiq® Prozac®, Prozac Weekly® Remeron® sertraline trazodone Trintellix (formerly Brintellix) venlafaxine, venlafaxine ER Viibryd® Welbutrin®, SR, XL Zoloft®	

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

CARDIAC MEDICATIONS		
Drug Class	Preferred Agents	Non-Preferred Agents
ACE Inhibitors	benazepril/ benazepril HCT enalapril lisinopril/ lisinopril HCT	Accupril® Accuretic® Aceon® Altace® Capoten® / Capozide® captopril/ captopril HCT enalapril HCT Epaned® fosinopril/ fosinopril HCT Lotensin® / Lotensin HCT® Mavik® moexipril / moexipril HCT Monopril® / Monopril HCT® perindopril Prinivil® / Prinzide® Qbrelis® quinapril / quinapril HCT ramipril trandolapril Univasc® / Uniretic ® Vasotec® / Vaseretic® Zestril® / Zestoretic®
Alpha Adrenergic Agents	Catapres TTS® ³ clonidine ³ guanfacine methyldopa	Catapres® ³ clonidine transdermal ³ Clorpres® ³ methyldopa / HCTZ Nexiclon XR® ³ Tenex®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

CARDIAC MEDICATIONS		
Drug Class	Preferred Agents	Non-Preferred Agents
Antihypertensive Combinations: ACEI	amlodipine / benazepril	Lotrel® Prestalia® Tarka® trandolapril / verapamil
Antihypertensive Combinations: ARB	amlodipine/valsartan amlodipine/valsartan/HCTZ	Azor® amlodipine/olmesartan amlodipine/olmesartan/HCTZ Byvalson® Exforge® / Exforge HCT® telmisartan/amlodipine Tribenzor® Twynsta®
Angiotensin Receptor Antagonists	losartan/ losartan HCT valsartan/ valsartan HCT	Atacand® / Atacand HCT® Avapro®/ Avalide® Benicar®/ Benicar HCT® candesartan/ candesartan HCT Cozaar® Diovan®/ Diovan HCT® Edarbi® Edarbyclor® eprosartan Hyzaar® irbesartan/ irbesartan HCT Micardis® / Micardis HCT® olmesartan, olmesartan HCT telmisartan/ telmisartan HCT Teveten® / Teveten HCT®
Angiotensin II-Receptor Nephrylsin Inhibitors (ANRIs)	Entresto®	
Direct Renin Inhibitors♦		Tekturna®

- 1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.
- 2 Quantity limits apply – See MPPL on website for details
- 3 Prior Authorization Required if Beneficiary is Over the Age of 65.
- 4 Prior Authorization Required for Beneficiaries Under Age of 6.
- 5 PA required if a benzodiazepine is found in beneficiary drug history
- 7 Providers should consult yearly CDC guidelines for Influenza
- 8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history
- 9 PA required if no history of oral antinausea drugs in beneficiary drug history
- 10 Prior Authorization Required for Beneficiaries Under Age of 15.
- 11 Prior Authorization Required for Beneficiaries Under Age of 18.

- 12 Components of product must be in drug history
- 13 Concurrent use or trial of metformin required
- 14 Trial of OTC benzoyl peroxide must be in beneficiary drug history
- 15 Electronic Step edit: a statin must be in beneficiary drug history
- 16 Prior Authorization Required for Beneficiaries Over Age of 15
- 17 Electronic Step edit: 2 or more NSAIDs on MPPL in history
- APAP = Acetaminophen ASA = Aspirin
- CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide
- ♦ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

CARDIAC MEDICATIONS		
Drug Class	Preferred Agents	Non-Preferred Agents
Beta Blockers	atenolol atenolol / chlorthalidone bisoprolol fumarate HCT Bystolic® carvedilol labetalol metoprolol / metoprolol XL metoprolol succinate metoprolol tartrate propranolol / propranolol LA sotalol / sotalol AF	Tekturna HCT® acebutolol Betapace® / Betapace AF® betaxolol bisoprolol fumarate Coreg® / Coreg CR® Corgard® Corzide® Dutoprol® Hemangeol oral solution® Inderal LA®/ Inderal XL® Innopran XL® Kaspargo® Kerlone® Levatol® Lopressor®/Lopressor HCT® metoprolol HCT nadolol nadolol/bendromethiazide pindolol propranolol HCT Sectral® Sotylize® Tenormin®/ Tenoretic® timolol maleate Toprol XL® Trandate® Zebeta® Ziac®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

CARDIAC MEDICATIONS		
Drug Class	Preferred Agents	Non-Preferred Agents
Calcium Channel Blockers – Dihydropyridine	Afeditab CR® amlodipine besylate Nifediac CC® nifedipine / nifedipine SA	Adalat CC® Cardene® / Cardene SR® felodipine ER isradipine nicardipine nisoldipine Norvasc® Plendil® Procardia / Procardia XL® Sular®
Calcium Channel Blockers – Non-Dihydropyridine	diltiazem / diltiazem XR / diltiazem ER Taztia XT® verapamil / verapamil ER tablets	Calan®/ Calan SR® Cardizem® / Cardizem LA® / Cardizem CD® Covera-HS® Dilacor XR® diltiazem LA Isoptin®/ Isoptin SR® Matzim LA® Tiazac® verapamil ER capsules Verelan® / Verelan PM® verapamil cap 24-hr pellet capsules
Lipotropic-Antihypertensive Combination		amlodipine / atorvastatin Caduet®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

CARDIAC MEDICATIONS		
Drug Class	Preferred Agents	Non-Preferred Agents
Lipotropics: Fibric Acid Derivatives	fenofibrate, nanocrystallized (generic for Tricor®) fenofibrate <u>tablets</u> (generic for Lofibra tablets) gemfibrozil	Antara® fenofibrate, nanocrystallized (generic for Triglide®) fenofibric acid (generic for Fibracor) fenofibric acid <u>capsules</u> (generic for Lofibra® caps) fenofibric acid (generic for Trilipix®) Fenoglide® Fibracor® Lofibra Lopid® Lipofen® Tricor® Triglide® Trilipix®
Lipotropics: Non-Statins	cholestyramine/ cholestyramine light colestipol tablets, packets	Colestid® colestipol <u>granules</u> colesevelam Questran®/ Questran Light® Welchol® powder and tablets
Lipotropics: Statins	atorvastatin lovastatin pravastatin rosuvastatin simvastatin	Advicor® Altoprev® Crestor® ezetimibe/simvastatin fluvastatin/ fluvastatin ER Lescol®/ Lescol XL® Lipitor® Liptruzet® Livalo® Mevacor® Pravachol® Simcor® Vytorin® Zocor® Zypitamag®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

CARDIAC MEDICATIONS		
Drug Class	Preferred Agents	Non-Preferred Agents
Lipotropics: Niacin Derivatives	Niaspan®	<i>niacin and niacin ER</i> Niacor®
Lipotropics: Other	ezetimibe	Lovaza® <i>omega-3 acid ethyl esters (generic for Lovaza)</i> Vascepa® Zetia®
Lipotropics: PCSK9 Inhibitors ◆		Praluent® Repatha®
Anticoagulants	Eliquis® enoxaparin Pradaxa® warfarin Xarelto®/ Xarelto® Dose Pack	Arixtra® Coumadin® fondaparinux Fragmin® syringes and vials Innohep® Lovenox® Savaysa®
Platelet Aggregation Inhibitors	Brilinta® clopidogrel prasugrel	Aggrenox® <i>aspirin/dipyridamole</i> dipyridamole Durlaza® Effient® Persantine® Plavix® Ticlid® Ticlopidine Yosprala DR® Zontivity®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

CARDIAC MEDICATIONS		
Drug Class	Preferred Agents	Non-Preferred Agents
Pulmonary Arterial Hypertension (PAH) Agents ♦	Tyvaso® Ventavis® Tracleer® tablets Letairis® Opsumit® Adcirca® sildenafil (generic for Revatio®) Uptravi®	Revatio® Adempas® Orenitram ER® tadalafil (generic for Adcirca) Tracleer® suspension

CENTRAL NERVOUS SYSTEM DRUGS		
Drug Class	Preferred Agents	Non-Preferred Agents
Alzheimer's Dementia	donepezil tabs, ODT Exelon® patch galantamine immediate release memantine immediate release rivastigmine capsules	Aricept® donepezil 23 mg® Exelon® capsule, solution galantamine ER, solution memantine ER Namenda® Namenda XR® Namzaric® Razadyne®, Razadyne ER® rivastigmine patch
Anti-Anxiety – General	alprazolam buspirone chlordiazepoxide ³ clorazepate diazepam ³ hydroxyzine HCL hydroxyzine pamoate lorazepam	alprazolam ER, ODT and intensol solution Atarax® Ativan® Buspar® diazepam intensol lorazepam intensol meprobamate Niravam® oxazepam Serax® Tranxene® Vistaril® / Vistaril suspension® Xanax / Xanax XR®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

CENTRAL NERVOUS SYSTEM DRUGS		
Drug Class	Preferred Agents	Non-Preferred Agents
Drugs for ADHD ♦ – Amphetamines	<u>IMMEDIATE-RELEASE</u> amphetamine IR salts (generic Adderall®) dextroamphetamine IR tabs (generic Dexedrine tabs)	<u>IMMEDIATE-RELEASE</u> <i>Adderall (amphetamine IR salts)</i> <i>Dexedrine® tabs (dextroamphetamine IR)</i> <i>dextroamphetamine IR solution (generic Procentra)</i> <i>Evekeo® (amphetamine)</i> <i>Procentra® (dextroamphetamine IR solution)</i> <i>Zenzedi® (dextroamphetamine IR)</i>
	<u>EXTENDED-RELEASE</u> Adderall XR® (amphetamine salts XR) dextroamphetamine ER caps (generic Dexedrine caps)	<u>EXTENDED-RELEASE</u> <i>Adzenys ER suspension (amphetamine ER)</i> <i>Adzenys XR ODT® (amphetamine ER)</i> <i>amphetamine salts XR (generic Adderall XR)</i> <i>Dexedrine® caps (dextroamphetamine ER)</i> <i>Dyanavel® (amphetamine ER)</i> <i>Mydayis ER® (amphetamine salts ER)</i>
Drugs for ADHD♦ – Pseudoamphetamines	<u>IMMEDIATE-RELEASE</u> dexmethylphenidate IR (generic Focalin®) Methylin® (methylphenidate IR) methylphenidate IR (generic Ritalin)	<u>IMMEDIATE-RELEASE</u> <i>Methylin® chewable / soln. ((methylphenidate IR)</i> <i>methylphenidate chewable (generic Methylin)</i> <i>Focalin® (dexmethylphenidate IR)</i> <i>Ritalin® (methylphenidate IR)</i>
	<u>EXTENDED-RELEASE</u> Aptensio XR® (methylphenidate ER) Daytrana® (methylphenidate ER transdermal) Focalin XR® (dexmethylphenidate XR) methylphenidate CD (generic Metadate CD®) methylphenidate SR (generic Ritalin SR®) Quillichew ER® (methylphenidate ER) Quillivant XR® (methylphenidate XR) Vyvanse® cap/chew tabs (lisdexamfetamine)	<u>EXTENDED-RELEASE</u> <i>Concerta® (methylphenidate ER – OROS)</i> <i>Cotempla XR-ODT® (methylphenidate ER)</i> <i>dexmethylphenidate XR (generic Focalin XR)</i> <i>Metadate ER® (methylphenidate ER)</i> <i>methylphenidate ER (generic Metadate ER®)</i> <i>methylphenidate ER - OROS (generic Concerta®)</i> <i>methylphenidate LA (generic Ritalin LA®)-all strengths</i> <i>Ritalin LA® (methylphenidate LA) -all strengths</i>
Drugs for ADHD – Non-Stimulants	atomoxetine clonidine ER (generic Kapvay®) ³ guanfacine ER Strattera®	<i>Intuniv®</i> <i>Kapvay®³</i> <i>Kapvay® DosePack²</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral antinausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

CENTRAL NERVOUS SYSTEM DRUGS		
Drug Class	Preferred Agents	Non-Preferred Agents
Neuropathic Pain	Cymbalta® duloxetine (generic for Cymbalta) duloxetine (generic for Irenka) gabapentin Irenka® Lyrica®, Lyrica CR® Neurontin® Savella®	<i>Gralise®</i> <i>Horizant®</i>
Multiple Sclerosis Agents	Avonex® Betaseron®/ Betaseron® Kit Copaxone 20 mg Gilenya® Rebif®/ Rebif Rebidose®	<i>Aubagio®</i> <i>Copaxone® 40 mg syringe</i> <i>Extavia®</i> <i>glatiramer 20 mg/ml and 40 mg/ml</i> <i>Plegridy®</i> <i>Tecfidera®</i> <i>Zinbryta®</i>
AntiParkinson's Agents – Dopamine Agonists	pramipexole ropinirole	<i>bromocriptine</i> <i>Mirapex®</i> <i>Mirapex ER®</i> <i>Neupro®</i> <i>Parlodel® capsule</i> <i>pramipexole ER</i> <i>Requip®</i> <i>Requip XL®</i> <i>ropinirole ER</i>
AntiParkinson's Agents – Other	amantadine syrup benztropine carbidopa/levodopa IR tablets	<i>amantadine capsule, tablet</i> <i>Azilect</i> <i>carbidopa</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral antinausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

CENTRAL NERVOUS SYSTEM DRUGS		
Drug Class	Preferred Agents	Non-Preferred Agents
	trihexyphenidyl tablet	carbidopa / levodopa ER, ODT carbidopa/levodopa/entacapone Comtan® Duopa® entacapone Gocovri® Lodosyn® Osmolex ER® rasagiline Rytary® selegiline capsule, tablet Sinemet® Sinemet CR® Stalevo® Tasmar® tolcapone trihexyphenidyl elixir Xadago® Zelapar®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral antinausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

CENTRAL NERVOUS SYSTEM DRUGS		
Drug Class	Preferred Agents	Non-Preferred Agents
Sedative Hypnotic Non-Barbiturates	temazepam (excluding 7.5mg and 22.5mg) ³ triazolam ³ zolpidem ¹¹	Ambien® / Ambien CR® Belsomra® Doral® Eduar® estazolam eszopiclone flurazepam ¹⁰ Halcion® Hetlioz® Intermezzo® Lunesta® ProSom® Restoril® ³ Rozerem® ⁵ Silenor® Somnote® Sonata® ² temazepam 7.5mg and 22.5mg ^{2, 3} zalaplon zolpidem ER, sublingual Zolpimist®
Antimigraine Agents, Triptans	Relpax® rizatriptan tab and ODT sumatriptan tablets, injection Zomig® nasal spray	almotriptan Alsuma® Amerge® Axert® eletriptan Frova® frovatriptan Imitrex® naratriptan Maxalt®/ Maxalt MLT® Migranow® Onzetra Xsail® sumatriptan nasal spray Sumavel® /Sumavel® Dose Pack Treximet® Zecuity®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

CENTRAL NERVOUS SYSTEM DRUGS		
Drug Class	Preferred Agents	Non-Preferred Agents
		Zembrace Symtouch® zolmitriptan, zolmitriptan ODT Zomig® tablet/ Zomig ZMT®
Antimigraine Agents, CGRP Inhibitors ♦ – new class	Emgality®	Aimovig® Ajovy®
Skeletal Muscle Relaxants	baclofen chlorzoxazone cyclobenzaprine orphenadrine citrate tizanidine tablets	Amrix® cyclobenzaprine ER Dantrium® dantrolene sodium Fexmid® Lorzone® metaxalone methocarbamol Norflex® orphenadrine compound Parafon Forte DSC® Robaxin® Skelaxin® tizanidine capsules Zanaflex® capsules and tablets

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

DERMATOLOGICAL AGENTS		
Drug Class	Preferred Agents	Non-Preferred Agents
Combination Benzoyl Peroxide and Clindamycin¹⁴	clindamycin / benzoyl peroxide <u>tubes</u> (generic for Benzaclin and Duac) Onexton®	<i>Acanya® gel and pump</i> <i>Benzaclin® tube and pump</i> <i>clindamycin / benzoyl peroxide <u>pump</u> (generic Benzaclin and Duac)</i> <i>Duac® tube and pump</i> <i>Neuac 1.25% kit®</i>
Immunomodulators: Atopic Dermatitis♦	Elidel®	<i>Dupixent®</i> <i>Eucriisa®</i> <i>pimecrolimus (generic for Elidel)</i> <i>Protopic®</i> <i>tacrolimus</i>
Topical Steroids – Low Potency	hydrocortisone acetate cream hydrocortisone acetate ointment hydrocortisone cream hydrocortisone gel hydrocortisone lotion hydrocortisone solution hydrocortisone ointment	<i>aclometasone dipropionate ointment and cream</i> <i>Aqua Glycolic HC®</i> <i>Capex® shampoo</i> <i>Derma-smooth – FS ®</i> <i>Desonate® gel</i> <i>Desonide® ointment, cream, lotion</i> <i>Desowen® ointment, cream, lotion</i> <i>fluocinolone 0.01% oil</i> <i>hydrocortisone acetate/urea</i> <i>hydrocortisone/aloe - ointment and gel</i> <i>Micort-HC®</i> <i>Pediaderm TA®, Pediaderm HC®</i> <i>Scalpicin®</i> <i>Texacort ®</i> <i>Verdeso®</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

DERMATOLOGICAL AGENTS		
Drug Class	Preferred Agents	Non-Preferred Agents
Topical Steroids – Medium Potency	fluticasone propionate cream fluticasone propionate ointment mometasone furoate ointment mometasone furoate cream mometasone furoate solution	<i>betamethasone valerate foam</i> Cloderm® Cordran® tape clocortolone cream Cutivate® cream and lotion Dermatop® cream and ointment Elocon ® cream and solution flurandrenolide cream and lotion fluocinolone acetonide cream, lotion, solution fluticasone propionate lotion hydrocortisone butyrate cream, ointment, solution hydrocortisone valerate cream and ointment Luxiq® Pandel® prednicarbate cream and ointment Synalar® solution, cream and ointment Synalar TS® kit
Topical Steroids – High Potency	betamethasone valerate cream betamethasone valerate ointment betamethasone valerate lotion triamcinolone acetonide cream triamcinolone acetonide ointment triamcinolone acetonide lotion	<i>amcinonide cream, ointment and lotion</i> betamethasone dipropionate cream, gel, lotion, oint. betamethasone dipropionate/propylene glycol cream, lotion and ointment DermacinRx Silapak® DermacinRx Silazone® desoximetasone cream, ointment and gel diflorasone diacetate cream and ointment Diprolene AF® cream and ointment Diprolene® lotion and ointment Ellzia PAK® fluocinonide cream, ointment and gel fluocinonide emollient and solution Halog® cream and ointment

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

DERMATOLOGICAL AGENTS		
Drug Class	Preferred Agents	Non-Preferred Agents
		<i>Kenalog® aerosol</i> <i>Sernivo®</i> <i>Silaczone-II®</i> <i>Topicort® cream, ointment and spray</i> <i>Trianex® ointment</i> <i>Vanos®</i>
Topical Steroids – Very High Potency	clobetasol propionate solution clobetasol propionate cream clobetasol propionate ointment clobetasol propionate gel	<i>Apexicon E®</i> <i>clobetasol emollient and lotion</i> <i>clobetasol propionate foam, spray and shampoo</i> <i>Clobex® lotion, spray and shampoo</i> <i>Clodan® shampoo and kit</i> <i>halobetasol propionate ointment and cream</i> <i>Olux®</i> <i>Olux-E®</i> <i>Temovate® cream, emollient, gel, ointment, solution</i> <i>Ultravate® cream, lotion and ointment</i> <i>Ultravate PAC® cream and ointment</i> <i>Ultravate X PAC® cream and ointment</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

DIABETES		
Drug Class	Preferred Agents	Non-Preferred Agents
Amylin Analogs	Symlin®	
Incretin Mimetics	Bydureon® Byetta® Victoza®	Adlyxin® Bydureon Bcise® Ozempic® Trulicity®
Incretin Mimetics - Combinations		Soliqua® Xultophy®
Insulins, Basal	Lantus® pens, vials Levemir® pens, vials	Basaglar® pens Toujeo Solostar® pens Tresiba Flextouch® pens
Insulins, Rapid Acting	Apidra® pens, vials Humalog® U-100 cartridges, pens, vials Novolog® cartridges, pens, vials	Admelog® vials Afrezza® inhalation cartridges Fiasp® pens, vials Humalog® U-200 Kwikpens
Insulin, Mixes	Humalog® 50/50 pens, vials Humalog® 75/25 pens, vials Humulin® 70/30 vials Novolin® 70/30 pens Novolog® 70/30 vials	Humulin® 70/30 Kwikpens Novolin® 70/30 vials
Insulins, Traditional	Humulin® R U-500 pens, vials Humulin® N vials Humulin® R vials Novolin® N vials Novolin® R vials	Humulin® N Kwikpens
Oral Hypoglycemics – Alpha-Glucosidase Inhibitors	Acarbose Glyset®	miglitol Precose®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral antinausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

DIABETES		
Drug Class	Preferred Agents	Non-Preferred Agents
Oral Hypoglycemics – Biguanides	metformin / metformin XR	<i>Fortamet® and generic Glucophage® Glucophage XR® Glumetza® metformin (generic for Glumetza)</i>
Oral Hypoglycemics – Combinations	glyburide / metformin Glyxambi® Invokamet® Janumet®/Janumet XR® Jentadueto® Xigduo®	<i>Actoplus Met® / Actoplus Met XR® alogliptin/metformin alogliptin/pioglitazone Avandamet® Avandaryl® Duetact® Glucovance® glipizide / metformin Invokamet XR® Jentadueto XR® Juvisync®¹² Kazano® Kombiglyze XR® Metaglip® Oseni® pioglitazone/glimepride pioglitazone/metformin Prandimet® Qtern® Segluromet® Steglujan® Synjardy XR® repaglinide/metformin</i>
Oral Hypoglycemics – Dopamine Receptor Agonists		<i>Cycloser®</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

DIABETES		
Drug Class	Preferred Agents	Non-Preferred Agents
Oral Hypoglycemics – DPP4 Inhibitors	Januvia® Tradjenta®	alogliptin Nesina® Onglyza®
Oral Hypoglycemics – Meglitinides	nateglinide repaglinide	Prandin® Starlix®
Oral Hypoglycemics – 2nd Generation Sulfonylureas	glimepiride glipizide / glipizide ER glyburide glyburide micronized	Amaryl® Diabeta® Glucotrol® / Glucotrol XL® Glynase®
Oral Hypoglycemics – SGLT2 Inhibitors	Farxiga® Invokana® Jardiance®	Steglatro® Synjardy®
Oral Hypoglycemics – Thiazolidinediones	pioglitazone	Actos® Avandia®

GASTROINTESTINAL		
Drug Class	Preferred Agents	Non-Preferred Agents
Antiemetics	Emend® granisetron ondansetron	aprepitant Akynzeo® Anzemet® Emend Pack® Kytril® Brand Sancuso® Varubi® Zofran® / Zofran ODT® Brand Zuplenz®
Bile Salts	ursodiol tablets	Actigall® Urso®/Urso Forte® ursodiol capsules

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

GASTROINTESTINAL		
Drug Class	Preferred Agents	Non-Preferred Agents
GI Motility, Chronic¹ Irritable bowel syndrome with constipation (IBS-C)	Amitiza® Linzess®	Trulance®
GI Motility, Chronic¹ Chronic idiopathic constipation (CIC)	Amitiza® Linzess®	Trulance®
GI Motility, Chronic¹ Opioid-induced constipation (OIC)	Amitiza® Movantik®	Relistor® Symproic®
GI Motility, Chronic¹ Irritable bowel syndrome with diarrhea (IBS-D)		alosetron Lotronex® Viberzi®
H. pylori Treatment	Pylera®	lansoprazole/amoxicillin/clarithromycin Omeclamox-PAK® Prevpac®
Pancreatic Enzymes²	Creon® Zenpep®	Pancrease® Pertzye® Viokace®
Progestins for Cachexia	megestrol oral suspension	Megace®oral suspension Megace ES® oral suspension
Proton Pump Inhibitors³	omeprazole (Rx) pantoprazole	Aciphex® rabeprazole Dexilant® (formerly Kapidex®) esomeprazole magnesium esomeprazole strontium lansoprazole Nexium® capsules, susp pkts / Nexium OTC® omeprazole OTC Prevacid / Prevacid 24HR® Prilosec® / Prilosec OTC® Protonix® Zegerid® / Zegerid OTC®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

GASTROINTESTINAL		
Drug Class	Preferred Agents	Non-Preferred Agents
Ulcerative Colitis – Oral	Apriso® Lialda® sulfasalazine/ sulfasalazine DR	Asacol HD® Azulfidine DR® balsalazide Colazal® Delzicol® Dipentum® Giazol® mesalamine (generic for Lialda) Pentasa® Uceris®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

OPHTHALMICS		
Drug Class	Preferred Agents	Non-Preferred Agents
Glaucoma – Alpha-2 Adrenergics	apraclonidine brimonidine tartrate 0.1%	<i>Alphagan P®</i> <i>brimonidine tartrate 0.15%</i> <i>lopidine®</i>
Glaucoma – Beta Blockers	Betoptic S® carteolol metipranolol timolol maleate (generic for Timoptic®)	<i>Betagan®</i> <i>betaxolol</i> <i>Betimol®</i> <i>Istalol®</i> <i>levobunolol</i> <i>Optipranolol®</i> <i>timolol maleate (generic for Istalol®)</i> <i>Timoptic®</i> <i>Timoptic XE®</i>
Glaucoma – Prostaglandin Analogues	latanoprost Travatan Z®	<i>bimatoprost (generic for Lumigan)</i> <i>Lumigan®</i> <i>Rescula®</i> <i>travoprost (generic for Travatan®)</i> <i>Xalatan®</i> <i>Vyzulta®</i> <i>Zioptan®</i>
Glaucoma – Carbonic Anhydrase Inhibitors	Azopt® dorzolamide dorzolamide / timolol Simbrinza®	<i>Cosopt®/ Cosopt PF®</i> <i>Trusopt®</i>
Glaucoma – Combination Alpha-2 Adrenergic-Beta Blocker	Combigan®	
Glaucoma – Rho Kinase Inhibitors	Rhopressa®	

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

OPHTHALMICS		
Drug Class	Preferred Agents	Non-Preferred Agents
Ophthalmic Antihistamines	ketotifen fumarate (OTC Only) Pataday® Zaditor®	Alrex® azelastine Bepreve® Elestat® Emadine® epinastine ketotifen fumarate (RX Only) Lastacaft® olopatadine (generic for Patanol) Optivar® Patanol® Pazeo®
Ophthalmic Mast Cell Stabilizers	cromolyn sodium	Alocril® Alomide®
Ophthalmic NSAIDs	Acular® diclofenac flurbiprofen ketorolac	Acular LS® Acuvail® Bromday® bromfenac Bromsite® Ilevro® Nevanac® Ocufen® Prolensa® Voltaren®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

MISCELLANEOUS		
Drug Class	Preferred Agents	Non-Preferred Agents
Biologics: Agents to Treat Rheumatoid Arthritis	Enbrel® Humira®	Actemra® SC Cimzia®, Cimzia Kit® Kevzara® Kineret® Olumiant® Orencia® SC Xeljanz®, Xeljanz XR® Simponi®
Biologics: Agents to Treat Ankylosing Spondylitis	Cosentyx® Enbrel® Humira®	Cimzia®, Cimzia Kit® Simponi®
Biologics: Agents to Treat Juvenile Idiopathic Arthritis	Enbrel® Humira®	Orencia® SC
Biologics: Agents to Treat Plaque Psoriasis	Cosentyx® Enbrel® Humira®	Ilumya® Otezla® Siliq® Stelara® Taltz® Tremfya®
Biologics: Agents to Treat Psoriatic Arthritis	Cosentyx® Enbrel® Humira®	Cimzia®, Cimzia Kit® Orencia® SC Otezla® Simponi® Stelara® Taltz® Xeljanz®, Xeljanz XR®
Biologics: Agents to Treat Crohn's Disease	Humira®	Cimzia®, Cimzia Kit® Entyvio® Stelara®
Biologics: Agents to Treat Ulcerative Colitis	Humira®	Simponi® Entyvio® Xeljanz®, Xeljanz XR®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

MISCELLANEOUS		
Drug Class	Preferred Agents	Non-Preferred Agents
Androgenic Agents (topical)	Androgel® packet and gel pump	Androderm® Axiron® Fortesta® Natesto® Testim® testosterone Vogelxo®
Antihyperuricemic Agents – new class	allopurinol probenecid/colchicine probenecid Mitigare® (colchicine capsules)	colchicine tablets (generic for Colcrys) colchicine capsules (generic for Mitigare) Colcrys (colchicine) Duzallo (lesinurad/allopurinol) Uloric (febuxostat) Zurampic (lesinurad) Zyloprim (allopurinol)
BPH Agents – Alpha Blockers	alfuzosin doxazosin prazosin tamsulosin terazosin	Cardura® Cardura XR® Flomax® Rapaflo® Silodosin (generic for Rapaflo) Uroxatral®
BPH Agents – 5-Alpha Reductase (5AR) Inhibitors	dutasteride finasteride 5mg (generic for Proscar®)	Avodart® dutasteride/tamsulosin Jalyn® Proscar®
Colony Stimulating Factors	Neupogen® Neulasta®	Fulphila® Granix® Leukine® Nivestym® Zarxio®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

MISCELLANEOUS		
Drug Class	Preferred Agents	Non-Preferred Agents
Electrolyte Depleters	calcium acetate <u>capsules</u> Renagel® Renvela® tablets	<i>Auryxia®</i> <i>calcium acetate <u>tablets</u></i> <i>Eliphos®</i> <i>Fosrenol® / Fosrenol® powder pak</i> <i>lanthanum</i> <i>Phoslo®</i> <i>Phoslyra®</i> <i>Renvela powder</i> <i>sevelamer capsules and (AG) tablet</i> <i>Velphoro®</i>
Epinephrine Injectable	epinephrine (generic for Epi Pen®)	<i>epinephrine (generic for Adrenaclick®)</i> <i>Epi Pen®, Epi Pen Jr®</i>
Growth Hormones♦	Norditropin® Norditropin Flexpro® Norditropin Nordiflex® Nutropin AQ®	<i>Genotropin®</i> <i>Humatrope®</i> <i>Omnitrope®</i> <i>Saizen®</i> <i>Serostim®</i> <i>Zomacton ®</i> <i>Zorbtive®</i>
Hematopoietic Agents♦	Aranesp® Epogen® Procrit® Retacrit®	

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral antinausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

MISCELLANEOUS		
Drug Class	Preferred Agents	Non-Preferred Agents
Osteoporosis Agents: Bisphosphonates	alendronate sodium	<i>Actonel®</i> <i>alendronate sodium oral solution</i> <i>Atelvia®</i> <i>Binosto®</i> <i>Boniva®</i> <i>Didronel®</i> <i>etidronate</i> <i>Fosamax®</i> <i>Fosamax Plus D®</i> <i>Ibandronate</i> <i>risedronate (Actonel)</i> <i>risedronate (Atelvia)</i>
Osteoporosis Agents: Other	calcitonin	<i>Forteo®</i> <i>Miacalcin®</i> <i>Tymlos®</i>
Osteoporosis Agents: SERMs	raloxifene	<i>Evista®</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions

Michigan Department of Health and Human Services Preferred Drug List

Effective 4/16/2019

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

MISCELLANEOUS		
Drug Class	Preferred Agents	Non-Preferred Agents
Progestational Agents	medroxyprogesterone (oral) progesterone (oral) norethindrone (oral)	<i>Aygestin® (oral)</i> <i>Crinone® (vaginal)◆</i> <i>Depo-Provera® (injection)</i> <i>progesterone (intramuscular)</i> <i>Prometrium® (oral)</i> <i>Provera® (oral)</i>
	Makena® (intramuscular)◆ Makena Auto-Injector® (subcutaneous)◆	<i>hydroxyprogesterone caproate (IM)- generic for Makena</i>
Urinary Tract Antispasmodics	oxybutynin / oxybutynin ER Toviaz® Vesicare®	<i>darifenacin ER</i> <i>Detrol®/ Detrol LA®</i> <i>Ditropan / Ditropan XL®</i> <i>Enablex®</i> <i>flavoxate HCL</i> <i>Gelnique®</i> <i>Myrbetriq®</i> <i>Oxytrol®</i> <i>Sanctura® / Sanctura XR®</i> <i>tolterodine/ tolterodine ER</i> <i>tropium/ tropium ER</i>

Note: Not all medications listed are covered by all MDHHS Programs. Check individual program coverage. For program drug coverage information, go to michigan.fhsc.com, open “Drug Coverage” and click on “MPPL Including Coverage Information” for all programs.

Michigan Department of Health and Human Services, in conjunction with Magellan Medicaid Administration, is pleased to offer an alternative means to submit pharmacy prior authorization (PA) requests for prescription drugs. This web-based process is designed to save prescribers time by providing a real-time pharmacy prior authorization. This process will supplement the more traditional means of requesting PAs by phone or fax, which will still be available to providers. In order to use Web PA, provider designees will need to register to receive a logon and password for the Web PA system. Detailed information on user registration and Web PA, including a web based tutorial, and a complete instruction is available at michigan.fhsc.com. For questions or assistance with registration, call the Magellan Medicaid Administration Web Support Call Center at 800-241-8726.

- 1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.
- 2 Quantity limits apply – See MPPL on website for details
- 3 Prior Authorization Required if Beneficiary is Over the Age of 65.
- 4 Prior Authorization Required for Beneficiaries Under Age of 6.
- 5 PA required if a benzodiazepine is found in beneficiary drug history
- 7 Providers should consult yearly CDC guidelines for Influenza
- 8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history
- 9 PA required if no history of oral anti-nausea drugs in beneficiary drug history
- 10 Prior Authorization Required for Beneficiaries Under Age of 15.
- 11 Prior Authorization Required for Beneficiaries Under Age of 18.

- 12 Components of product must be in drug history
- 13 Concurrent use or trial of metformin required
- 14 Trial of OTC benzoyl peroxide must be in beneficiary drug history
- 15 Electronic Step edit: a statin must be in beneficiary drug history
- 16 Prior Authorization Required for Beneficiaries Over Age of 15
- 17 Electronic Step edit: 2 or more NSAIDs on MPPL in history
- APAP = Acetaminophen ASA = Aspirin
- CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide
- ◆ Clinical PA required; refer to MPPL, MI Provider Manual or michigan.fhsc.com for other restrictions