

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

ANALGESICS		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>Narcotics – Long Acting</b>	morphine sulfate ER tablets Embeda®	<b>Arymo ER®</b> Belbuca® Conzip ER® Exalgo® hydromorphone ER® Hysingla ER® Kadian® methadone Morphabond ER® morphine sulfate ER caps (generic Avinza®) morphine sulfate ER caps (generic Kadian®) MS Contin® Nucynta ER® Oramorph SR® Oxycontin® oxycodone ER oxymorphone ER tramadol ER Ultram ER® Xtampza ER® Zohydro ER®
<b>Narcotics – Short and Intermediate Acting</b>	Actiq®♦ codeine codeine / APAP Codeine / APAP/caffeine codeine / ASA codeine phosphate hydrocodone / APAP hydrocodone/ ibuprofen hydromorphone oral tablets	Abstral®♦ butorphanol Capital w/ Codeine® codeine oral solution codeine / APAP/caffeine /butalbital codeine / ASA /caffeine /butalbital Demerol® all forms dihydrocodeine/APAP/caffeine Dilaudid® all forms Fentora®♦ Fioricet w/ Codeine®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>ANALGESICS</b>		
Drug Class	Preferred Agents	Non-Preferred Agents
	morphine sulfate tabs / soln / supp oxycodone (immediate release) oxycodone / APAP tramadol	<i>Fiorinal w/ Codeine®</i> <i>Hycet®</i> <i>hydromorphone suppository</i> <i>Ibudone®</i> <i>Lazanda®</i> <i>Lorcet®</i> <i>Lortab®</i> <i>meperidine</i> <i>Norco®</i> <i>Nucynta®</i> <i>Onsolis®</i> <i>Opana®</i> <i>opium</i> <i>Oxecta®</i> <i>oxycodone / ASA</i> <i>oxycodone capsules, oral conc solution, oral syringes</i> <i>oxycodone/ibuprofen</i> <i>Oxydose®</i> <i>Oxyfast®</i> <i>OxylR®</i> <i>oxymorphone</i> <i>pentazocine/naloxone</i> <i>Percocet®</i> <i>Percodan®</i> <i>Primlev®</i> <i>Reprexain®</i> <i>Roxanol®</i> <i>Roxicodone®</i> <i>Rybix ODT®</i> <i>Stadol®, Stadol NS®</i> <i>Subsys®♦</i> <i>Talwin®, Talwin NX®</i> <i>tramadol/APAP</i> <i>Tylenol #2®</i> <i>Tylenol #3®</i> <i>Tylenol #4®</i>

- 1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.
- 2 Quantity limits apply – See MPPL on website for details
- 3 Prior Authorization Required if Beneficiary is Over the Age of 65.
- 4 Prior Authorization Required for Beneficiaries Under Age of 6.
- 5 PA required if a benzodiazepine is found in beneficiary drug history
- 7 Providers should consult yearly CDC guidelines for Influenza
- 8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history
- 9 PA required if no history of oral anti-nausea drugs in beneficiary drug history
- 10 Prior Authorization Required for Beneficiaries Under Age of 15.
- 11 Prior Authorization Required for Beneficiaries Under Age of 18.

- 12 Components of product must be in drug history
- 13 Concurrent use or trial of metformin required
- 14 Trial of OTC benzoyl peroxide must be in beneficiary drug history
- 15 Electronic Step edit: a statin must be in beneficiary drug history
- 16 Prior Authorization Required for Beneficiaries Over Age of 15
- 17 Electronic Step edit: 2 or more NSAIDs on MPPL in history
- APAP = Acetaminophen ASA = Aspirin
- CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide
- ♦ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flsc.com](http://michigan.flsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

ANALGESICS		
Drug Class	Preferred Agents	Non-Preferred Agents
		<i>Tylenol w/ Codeine Elixir®</i> <i>Tylox®</i> <i>Ultracet®</i> <i>Ultram®</i> <i>Vicodin®</i> <i>Vicoprofen®</i> <i>Vopac®</i> <i>Wygesic®</i> <i>Xartemis XR®</i> <i>Xodol®</i> <i>Zolvit®</i> <i>Zydone®</i>
<b>Narcotics – Transdermal</b>	fentanyl patches (generic only)	<i>buprenorphine patches</i> <i>Butrans®</i> <i>Duragesic®</i> <i>fentanyl generic patches 37.5 mg, 62.5 mg and 87.5 mg strengths only</i>
<b>Non-Steroidal Anti-Inflammatory – Cox II Inhibitors</b>		<i>Celebrex®</i> celecoxib <sup>2, 17</sup>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>ANTIBIOTICS / ANTI-INFECTIVES</b>		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>Antibiotics – Inhaled</b>	Bethkis® Cayston® Kitabis® Tobi-Podhaler® (after a trial of inhaled tobramycin or clinical justification)	<i>tobramycin solution (inhalation)</i> <i>TOBI inhalation</i>
<b>Antifungals – Oral</b>	clotrimazole troches fluconazole griseofulvin oral suspension nystatin oral susp terbinafine♦	<i>Cresemba®</i> <i>Diflucan®</i> <i>flucytosine</i> <i>griseofulvin tablet</i> <i>griseofulvin microsize tablets</i> <i>griseofulvin ultramicrosize</i> Gris-Peg® <i>itraconazole</i> <i>ketoconazole</i> Lamisil®♦ Mycelex® Mycostatin® Nizoral® Noxafil® Noxafil DR® <i>nystatin tablets</i> Onmel® Oravig® Sporanox® Vfend® <i>voriconazole</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flsc.com](http://michigan.flsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>ANTIBIOTICS / ANTI-INFECTIVES</b>		
<b>Drug Class</b>	<b>Preferred Agents</b>	<b>Non-Preferred Agents</b>
<b>Antifungals – Topical</b>	clotrimazole OTC cream clotrimazole/betamethasone cream ketoconazole miconazole nitrate nystatin tolnaftate	<i>Ciclodan®</i> <i>ciclopirox</i> <i>clotrimazole / betamethasone lotion</i> <i>clotrimazole Rx cream, solution</i> <i>DermacinRx Therazole Pak®</i> econazole nitrate <i>Ertaczo®</i> <i>Exelderm®</i> <i>Extina®</i> <i>Jublia®</i> <i>Kerydin®</i> <i>ketoconazole foam</i> <i>Ketodan®</i> <i>Loprox®</i> <i>Lotrimin AF®</i> <i>Lotrisone®</i> <i>Luzu®</i> <i>Mentax®</i> <i>Naftin®</i> <i>Nizoral®</i> <i>nystatin / triamcinolone cream, ointment</i> <i>Oxistat®</i> <i>Pedipirox-4®</i> <i>Penlac®</i> <i>Vusion®</i> <i>Xolegel®</i>
<b>Antivirals – Herpes</b>	acyclovir tablets, capsules, suspension famciclovir valacyclovir	<i>Famvir®</i> <i>Sitavig®</i> <i>Valtrex®</i> <i>Zovirax®</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flsc.com](http://michigan.flsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>ANTIBIOTICS / ANTI-INFECTIVES</b>		
<b>Drug Class</b>	<b>Preferred Agents</b>	<b>Non-Preferred Agents</b>
<b>Antivirals – Influenza<sup>7</sup></b>	oseltamivir Relenza® rimantadine Tamiflu®	<i>Flumadine®</i>
<b>Antivirals – Topical</b>	Denavir® Zovirax® Cream	<i>acyclovir ointment</i> <i>Xerese®</i> <i>Zovirax® Ointment</i>
<b>Cephalosporins - 1st Generation</b>	cefadroxil cephalexin	<i>cephradine</i> <i>Duricef®</i> <i>Keflex®</i> <i>Velosef®</i>
<b>Cephalosporins - 2nd Generation</b>	cefuroxime cefprozil tabs, suspension Ceftin® suspension	<i>Ceclor® / Ceclor CD®</i> <i>cefaclor / cefaclor ER</i> <i>Ceftin® tabs</i> <i>Cefzil®</i> <i>Lorabid®</i>
<b>Cephalosporins - 3rd Generation</b>	cefdinir Suprax® suspension, capsules, chew tabs	<i>Cedax®</i> <i>cefixime suspension</i> <i>cefpodoxime tablets, suspension</i> <i>ceftibuten</i> <i>Suprax® tablets</i>
<b>Hepatitis C</b>	Pegasys® Peg-Intron® ribavirin	<i>Copegus®</i> <i>Infergen®</i> <i>Intron A®</i> <i>Rebetol®</i> <i>Rebetron®</i> <i>Ribapak®</i> <i>Ribasphere®</i> <i>ribavirin dose pack</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>ANTIBIOTICS / ANTI-INFECTIVES</b>		
<b>Drug Class</b>	<b>Preferred Agents</b>	<b>Non-Preferred Agents</b>
		<i>Roferon-A®</i>
<b>Hepatitis C – Direct-Acting Antivirals♦</b>	Daklinza® Epclusa® Harvoni® Mavyret® Sovaldi® Technivie® Viekira Pak®, Viekira XR® Vosevi® Zepatier®	Olysio®
<b>Macrolides</b>	azithromycin clarithromycin erythromycin estolate erythromycin ethylsuccinate erythromycin stearate erythromycin w/ sulfisoxazole	<i>Biaxin® / Biaxin XL® / Biaxin Susp®</i> <i>clarithromycin ER</i> <i>Dynabac®</i> <i>E.E.S.® tablets and suspension</i> <i>EryPed®</i> <i>Ery-Tab®</i> <i>Erythrocin®</i> <i>erythromycin base</i> <i>PCE®</i> <i>Zithromax® tablets, suspension</i> <i>Zmax®</i>
<b>Oxazolidinones</b>	linezolid	<i>Sivextro®</i> <i>Zyvox®</i>
<b>Quinolones</b>	ciprofloxacin tablets levofloxacin	<i>Avelox®</i> <i>Baxdela®</i> <i>ciprofloxacin suspension</i> <i>ciprofloxacin ER</i> <i>Cipro® / Cipro XR®</i> <i>Factive®</i> <i>Floxin®</i> <i>Levaquin®</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>ANTIBIOTICS / ANTI-INFECTIVES</b>		
<b>Drug Class</b>	<b>Preferred Agents</b>	<b>Non-Preferred Agents</b>
		<i>moxifloxacin</i> <i>Noroxin®</i> <i>ofloxacin</i>
<b>Ophthalmic Fluoroquinolones</b>	ciprofloxacin Moxeza® ofloxacin Vigamox®	<i>Besivance®</i> <i>Ciloxan®</i> <i>gatifloxacin</i> <i>levofloxacin</i> <i>Ocuflox®</i> <i>Zymaxid®</i>
<b>Ophthalmic Macrolides</b>	Azasite®	
<b>Otic Quinolones</b>	Ciprodex®	<i>Cetraxal®</i> <i>ciprofloxacin otic</i> <i>Cipro HC®</i> <i>ofloxacin otic</i> <i>Otovel®</i>
<b>Topical Antibiotics</b>	mupiricin ointment	<i>Altabax®</i> <i>Bactroban®</i> <i>Centany®</i>
<b>Gastrointestinal Antibiotics</b>	metronidazole tablets vancomycin capsules	<i>Alinia®</i> <i>Difacid®</i> ◆ <i>Flagyl® tablets and capsules</i> <i>Flagyl ER®</i> <i>metronidazole capsules</i> <i>neomycin tablets</i> <i>Tindamax®</i> <i>tinidazole</i> <i>Xifaxan®</i> ◆ <i>Vancocin®</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions



# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>ASTHMA / COPD</b>		
<b>Drug Class</b>	<b>Preferred Agents</b>	<b>Non-Preferred Agents</b>
<b>Anticholinergic Agents - Short Acting</b>	Atrovent / Atrovent HFA® ipratropium	
<b>Anticholinergic Agents - Long Acting</b>	Spiriva®	<i>Incruse Ellipta® Seebri Neohaler® Spiriva Respimat® Tudorza Pressair®</i>
<b>Beta Adrenergic and Anticholinergic Combinations</b>	Stiolto Respimat®	<i>Anoro Ellipta® Bevespi Aerosphere® Combivent RESPIMAT® Utibron Neohaler®</i>
<b>Beta Adrenergics – Short Acting</b>	ProAir HFA® Proventil HFA®	<i>Alupent® Maxair Autohaler® ProAir Respiclick® Xopenex HFA® Ventolin HFA®</i>
<b>Beta Adrenergics – Long Acting</b>	Serevent®	<i>Arcapta® Brovana® Perforomist® Striverdi Respimat®</i>
<b>Beta Adrenergics For Nebulizers</b>	albuterol sulfate	<i>levalbuterol Xopenex®</i>
<b>Beta Adrenergic and Corticosteroid Inhaler Combinations</b>	Advair Diskus® Dulera® Symbicort®	<i>Advair HFA® AirDuo Respiclick® Breo Ellipta® <b>Trelegy Ellipta®</b></i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flsc.com](http://michigan.flsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

ASTHMA / COPD		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>Phosphodiesterase-4 (PDE-4) Inhibitors</b>		<i>Daliresp</i> ®♦
<b>Inhaled Glucocorticoids</b>	Asmanex® Twisthaler Flovent HFA® Pulmicort® Respules	<i>Aerospan</i> ® <i>Alvesco</i> ® <b><i>Armonair Respiclick</i>®</b> <i>Annuity Ellipta</i> ® <i>Asmanex HFA</i> ® <i>budesonide nebulizer soln</i> <i>Flovent Diskus</i> ® <i>Pulmicort Flexihaler</i> ® <b><i>QVAR Redihaler</i>®</b>
<b>Leukotriene Inhibitors</b>	montelukast tablets, chew tabs, granules zafirlukast	<i>Accolate</i> ® <i>Singulair</i> ® tablets, chew tabs, granules <i>Zyflo</i> ® / <i>Zyflo CR</i> ®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>ALLERGY</b>		
<b>Drug Class</b>	<b>Preferred Agents</b>	<b>Non-Preferred Agents</b>
<b>Antihistamines – 2nd Generation</b>	cetirizine loratadine / loratadine ODT	<i>Allegra® / Allegra® Suspension</i> <i>cetirizine chewable tabs, caps, 5mg/5 ml solution</i> <i>Clarinet®/ Clarinet ODT</i> <i>Claritin® tablets, syrup</i> <i>Claritin Redi-Tab®</i> <i>desloratadine</i> <i>fexofenadine tablets and suspension</i> <i>Xyzal®</i> <i>Zyrtec®</i>
<b>Nasal Anticholinergics</b>	ipratropium nasal	<i>Atrovent Nasal ®</i>
<b>Nasal Antihistamines</b>	azelastine (generic for Astepro and Astelin) Patanase Nasal®	<i>Astepro®</i> <i>Dymista®</i> <i>olopatadine</i>
<b>Nasal Corticosteroids</b>	fluticasone	<i>Beconase AQ®</i> <i>budesonide</i> <i>Dymista®</i> <i>Flonase®</i> <i>Flonase OTC®</i> <i>Flonase Sensimist®</i> <i>flunisolide</i> <i>mometasone</i> <i>Nasacort®</i> <i>Nasacort AQ®</i> <i>Nasonex®</i> <i>Nasarel®</i> <i>Omnaris®</i> <i>Qnasl®</i> <i>Rhinocort® and Rhinocort Aqua®</i> <i>Ticanase®</i> <i>triamcinolone</i> <i>Tri-Nasal®</i> <i>Veramyst®</i> <i>Zetonna®</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>BEHAVIORAL HEALTH</b>		
<b>Drug Class</b>	<b>Preferred Agents</b>	<b>Non-Preferred Agents</b>
<b>Atypical Antipsychotics</b>	Abilify® Abilify Maintena® aripiprazole Aristada® clozapine Clozaril® Fanapt® Fazaclor® Geodon® Invega® Invega Sustenna® Invega Trinza® Latuda® Nuplazid® olanzapine quetiapine Rexulti® risperidone Risperdal® RisperdalConsta® Saphris® Seroquel® Seroquel XR® Versacloz® Vraylar® ziprasidone Zyprexa® Zyprexa Relprevv®	
<b>Antipsychotic-Antidepressant Comb.</b>	olanzapine/fluoxetine Symbyax®	

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.fhsc.com](http://michigan.fhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>BEHAVIORAL HEALTH</b>		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>Antidepressants – Newer Generations</b>	Aplenzin® Brisdelle® bupropion bupropion hydrobromide ER Celexa® citalopram Cymbalta® Emsam® escitalopram Fetzima® fluoxetine fluvoxamine Forfivo XL® Khedezla® Lexapro® Luvox CR® mirtazapine nefazodone Olepto® paroxetine Paxil® Pexeva® Pristiq® Prozac®, Prozac Weekly® Remeron® sertraline trazodone Trintellix (formerly Brintellix) venlafaxine, venlafaxine ER Viibryd® Welbutrin®, SR, XL Zoloft®	

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>CARDIAC MEDICATIONS</b>		
<b>Drug Class</b>	<b>Preferred Agents</b>	<b>Non-Preferred Agents</b>
<b>ACE Inhibitors</b>	benazepril/ benazepril HCT enalapril lisinopril/ lisinopril HCT	Accupril® Accuretic® Aceon® Altace® Capoten® / Capozide® captopril/ captopril HCT enalapril HCT Epaned® fosinopril/ fosinopril HCT Lotensin® / Lotensin HCT® Mavik® moexipril / moexipril HCT Monopril® / Monopril HCT® perindopril Prinivil® / Prinzide® Qbrelis® quinapril / quinapril HCT ramipril trandolapril Univasc® / Uniretic ® Vasotec® / Vaseretic® Zestril® / Zestoretic®
<b>Alpha Adrenergic Agents</b>	Catapres TTS® <sup>3</sup> clonidine <sup>3</sup> guanfacine methyldopa	Catapres® <sup>3</sup> clonidine transdermal <sup>3</sup> Clorpres® <sup>3</sup> methyldopa / HCTZ Nexiclon XR® <sup>3</sup> Tenex®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flsc.com](http://michigan.flsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>CARDIAC MEDICATIONS</b>		
<b>Drug Class</b>	<b>Preferred Agents</b>	<b>Non-Preferred Agents</b>
<b>Antihypertensive Combinations: ACEI</b>	amlodipine / benazepril	<i>Lotrel® Prestalia® Tarka® trandolapril / verapamil</i>
<b>Antihypertensive Combinations: ARB</b>	Azor® Exforge® / Exforge HCT® Tribenzor®	<i>amlodipine/valsartan amlodipine/valsartan/HCTZ amlodipine/olmesartan amlodipine/olmesartan/HCTZ Byvalson® telmisartan/amlodipine Twynsta®</i>
<b>Angiotensin Receptor Antagonists</b>	losartan/ losartan HCT Micardis® / Micardis HCT® valsartan/ valsartan HCT	<i>Atacand® / Atacand HCT® Avapro®/ Avalide® Benicar®/ Benicar HCT® candesartan/ candesartan HCT Cozaar® Diovan®/ Diovan HCT® Edarbi® Edarbyclor® eprosartan Hyzaar® irbesartan/ irbesartan HCT olmesartan, olmesartan HCT telmisartan/ telmisartan HCT Teveten® / Teveten HCT®</i>
<b>Angiotensin II-Receptor Nephilysin Inhibitors (ANRIs)</b>	Entresto®	
<b>Direct Renin Inhibitors♦</b>		<i>Tekturna® Tekturna HCT®</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flsc.com](http://michigan.flsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

CARDIAC MEDICATIONS		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>Beta Blockers</b>	atenolol atenolol / chlorthalidone bisoprolol fumarate HCT Bystolic® carvedilol labetalol metoprolol / metoprolol XL metoprolol succinate metoprolol tartrate propranolol / propranolol LA sotalol / sotalol AF	acebutolol Betapace® / Betapace AF® betaxolol bisoprolol fumarate Coreg® / Coreg CR® Corgard® Corzide® Dutoprol® Hemangeol oral solution® Inderal LA®/ Inderal XL® Innopran XL® Kerlone® Levatol® Lopressor®/Lopressor HCT® metoprolol HCT nadolol nadolol/bendromethiazide pindolol propranolol HCT Sectral® Sotylize® Tenormin®/ Tenoretic® timolol maleate Toprol XL® Trandate® Zebeta® Ziac®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions



# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>CARDIAC MEDICATIONS</b>		
<b>Drug Class</b>	<b>Preferred Agents</b>	<b>Non-Preferred Agents</b>
<b>Calcium Channel Blockers – Dihydropyridine</b>	Afeditab CR® amlodipine besylate Nifediac CC® nifedipine / nifedipine SA	<i>Adalat CC®</i> <i>Cardene® / Cardene SR®</i> <i>felodipine ER</i> <i>isradipine</i> <i>nicardipine</i> <i>nisoldipine</i> <i>Norvasc®</i> <i>Plendil®</i> <i>Procardia / Procardia XL®</i> <i>Sular®</i>
<b>Calcium Channel Blockers – Non-Dihydropyridine</b>	diltiazem / diltiazem XR / diltiazem ER Taztia XT® verapamil / verapamil ER tablets	<i>Calan®/ Calan SR®</i> <i>Cardizem® / Cardizem LA® / Cardizem CD®</i> <i>Covera-HS®</i> <i>Dilacor XR®</i> <i>diltiazem LA</i> <i>Isoptin®/ Isoptin SR®</i> <i>Matzim LA®</i> <i>Tiazac®</i> <i>verapamil ER capsules</i> <i>Verelan® / Verelan PM®</i> <i>verapamil cap 24-hr pellet capsules</i>
<b>Lipotropic-Antihypertensive Combination</b>		<i>amlodipine / atorvastatin</i> <i>Caduet®</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.fhsc.com](http://michigan.fhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

CARDIAC MEDICATIONS		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>Lipotropics: Fibric Acid Derivatives</b>	fenofibrate, nanocrystallized (generic for Tricor®) fenofibrate <u>tablets</u> (generic for Lofibra tablets) gemfibrozil Trilipix®	Antara® fenofibric acid (generic for Fibracor) fenofibric acid <u>capsules</u> (generic for Lofibra® caps) fenofibric acid (generic for Trilipix®) Fenoglide® Fibracor® Lofibra Lopid® Lipofen® Tricor® Triglide®
<b>Lipotropics: Non-Statins</b>	cholestyramine/ cholestyramine light colestipol tablets, packets	Colestid® colestipol <u>granules</u> Questran®/ Questran Light® Welcho® powder and <u>tablets</u>
<b>Lipotropics: Statins</b>	atorvastatin lovastatin pravastatin rosuvastatin simvastatin	Advicor® Altoprev® Crestor® ezetimibe/simvastatin fluvastatin/ fluvastatin ER Lescol®/ Lescol XL® Lipitor® Liptruzet® Livalo® Mevacor® Pravachol® Simcor® Vytorin® Zocor®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>CARDIAC MEDICATIONS</b>		
<b>Drug Class</b>	<b>Preferred Agents</b>	<b>Non-Preferred Agents</b>
<b>Lipotropics: Niacin Derivatives</b>	Niaspan®	<i>niacin and niacin ER</i> Niacor®
<b>Lipotropics: Other</b>	Zetia®	<i>ezetimibe</i> Lovaza® <i>omega-3 acid ethyl esters (generic for Lovaza)</i> Vascepa®
<b>Lipotropics: PCSK9 Inhibitors♦</b>		<i>Praluent®</i> <i>Repatha®</i>
<b>Anticoagulants</b>	Eliquis® enoxaparin Fragmin® syringes Pradaxa® warfarin Xarelto®/ Xarelto® Dose Pack	<i>Arixtra®</i> <i>Coumadin®</i> <i>fondaparinux</i> <i>Fragmin® vials</i> <i>Innohep®</i> <i>Lovenox®</i> <i>Savaysa®</i>
<b>Platelet Aggregation Inhibitors</b>	Brilinta® clopidogrel	<i>Aggrenox®</i> <i>aspirin/dipyridamole</i> <i>dipyridamole</i> <i>Durlaza®</i> <i>Effient®</i> <i>Persantine®</i> <i>Plavix®</i> <i>Ticlid®</i> <i>Ticlopidine</i> <i>Yosprala DR®</i> <i>Zontivity®</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>CARDIAC MEDICATIONS</b>		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>Pulmonary Arterial Hypertension (PAH) Agents</b> ♦	Tyvaso® Ventavis® Tracleer® Letairis® Opsumit® Adcirca® sildenafil (generic for Revatio®) Uptravi®	Revatio® Adempas® Orenitram ER®

<b>CENTRAL NERVOUS SYSTEM DRUGS</b>		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>Alzheimer's Dementia</b>	donepezil tabs, ODT Exelon® patch galantamine immediate release memantine immediate release rivastigmine capsules	Aricept® donepezil 23 mg® Exelon® capsule, solution galantamine ER, solution Namenda® Namenda XR® Namzaric® Razadyne®, Razadyne ER® rivastigmine patch
<b>Anti-Anxiety – General</b>	alprazolam buspirone chlordiazepoxide <sup>3</sup> clorazepate diazepam <sup>3</sup> hydroxyzine HCL hydroxyzine pamoate lorazepam	alprazolam extended release alprazolam intensol alprazolam ODT Atarax® Ativan® Buspar® diazepam intensol meprobamate Miltown® <sup>3</sup> Niravam®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flsc.com](http://michigan.flsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

CENTRAL NERVOUS SYSTEM DRUGS		
Drug Class	Preferred Agents	Non-Preferred Agents
		oxazepam Serax® Tranxene® Vistaril® Vistaril suspension® Xanax / Xanax XR®
<b>Drugs For ADHD – Stimulants♦</b>	Adderall XR® amphetamine salts Aptensio XR® Daytrana® dexmethylphenidate dextroamphetamine tabs dextroamphetamine ER caps Focalin XR® Methylin® / Methylin® ER methylphenidate methylphenidate CD (generic Metadate CD®) methylphenidate LA (generic Ritalin LA®) – all strengths <u>except</u> 10mg methylphenidate SR (generic Ritalin SR®) Quillichew ER® Quillivant XR® Ritalin LA® <b>10mg</b> Vyvanse® / Vyvanse Chew Tabs	Adderall Adzenys XR ODT® amphetamine salts XR (generic Adderall XR) Concerta® <b>Cotempla XR-ODT®</b> Dexedrine® dextroamphetamine solution (generic Procentra) dexmethylphenidate ER (generic Focalin XR) Dyanavel® Evekeo® Focalin® Methylin® chewable / soln. methylphenidate chewable methylphenidate ER (generic Concerta®) methylphenidate LA (generic Ritalin LA®) <b>10mg</b> Mydayis ER® Procentra® Ritalin® Ritalin LA® - all strengths except 10mg Ritalin SR® Zenzedi®
<b>Drugs For ADHD – Non-Stimulants</b>	atomoxetine clondine ER (generic Kapvay®) <sup>3</sup> Kapvay® <sup>3</sup> guanfacine ER	Intuniv® Kapvay® DosePack <sup>2</sup>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.fhsc.com](http://michigan.fhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>CENTRAL NERVOUS SYSTEM DRUGS</b>		
<b>Drug Class</b>	<b>Preferred Agents</b>	<b>Non-Preferred Agents</b>
	Strattera®	
<b>Fibromyalgia Agents</b>	Cymbalta® duloxetine (generic for Cymbalta) duloxetine (generic for Irenka) gabapentin Irenka® Lyrica®, Lyrica CR® Neurontin® Savella®	Gralise® Horizant®
<b>Multiple Sclerosis Agents</b>	Avonex® Betaseron®/ Betaseron® Kit Copaxone 20 mg Gilenya® Rebif®/ Rebif Rebidose®	Aubagio® Copaxone® 40 mg syringe Extavia® glatiramer 20 mg/ml Lemtrada® Plegridy® Tecfidera® Zinbryta®
<b>AntiParkinson's Agents – Dopamine Agonists</b>	pramipexole ropinirole	bromocriptine Mirapex® Mirapex ER® Neupro® Parlodel® capsule pramipexole ER Requip® Requip XL® ropinirole ER

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

CENTRAL NERVOUS SYSTEM DRUGS		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>AntiParkinson's Agents – Other</b>	amantadine syrup benzotropine carbidopa/levodopa IR tablets trihexyphenidyl tablet	<i>amantadine capsule, tablet</i> <i>Azilect</i> <i>carbidopa</i> <i>carbidopa / levodopa ER, ODT</i> <i>carbidopa/levodopa/entacapone</i> <i>Comtan®</i> <i>Duopa®</i> <i>entacapone</i> <b>Gocovri®</b> <i>Lodosyn®</i> <i>rasagiline</i> <i>Rytary®</i> <i>selegiline capsule, tablet</i> <i>Sinemet®</i> <i>Sinemet CR®</i> <i>Stalevo®</i> <i>Tasmar®</i> <i>tolcapone</i> <i>trihexyphenidyl elixir</i> <i>Xadago®</i> <i>Zelapar®</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral antinausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>CENTRAL NERVOUS SYSTEM DRUGS</b>		
<b>Drug Class</b>	<b>Preferred Agents</b>	<b>Non-Preferred Agents</b>
<b>Sedative Hypnotic Non-Barbiturates</b>	temazepam (excluding 7.5mg and 22.5mg) <sup>3</sup> triazolam <sup>3</sup> zolpidem <sup>11</sup>	<i>Ambien® / Ambien CR®</i> <i>Belsomra®</i> <i>Doral®</i> <i>Eduar®</i> <i>estazolam</i> <i>eszopiclone</i> <i>flurazepam</i> <sup>10</sup> <i>Halcion®</i> <i>Hetlioz®</i> <i>Intermezzo®</i> <i>Lunesta®</i> <i>ProSom®</i> <i>Restoril®</i> <sup>3</sup> <i>Rozerem®</i> <sup>5</sup> <i>Silenor®</i> <i>Somnote®</i> <i>Sonata®</i> <sup>2</sup> <i>temazepam 7.5mg and 22.5mg</i> <sup>2, 3</sup> <i>zalaplon</i> <i>zolpidemER</i> <i>Zolpimist®</i>
<b>Serotonin Receptor Agonists</b>	Relpax® rizatriptan tab and ODT sumatriptan tablets, injection Zomig® nasal spray	<i>almotriptan</i> <i>Alsuma®</i> <i>Amerge®</i> <i>Axert®</i> <i>Frova®</i> <i>frovatriptan</i> <i>Imitrex®</i> <i>naratriptan</i> <i>Maxalt®/ Maxalt MLT®</i> <i>Migranow®</i> <i>Onzetra Xsail®</i> <i>sumatriptan nasal spray</i> <i>Sumavel® /Sumavel® Dose Pack</i> <i>Treximet®</i> <i>Zecuity®</i>

**1** Prior Authorization Not Required for Beneficiaries Under the Age of 12.

**2** Quantity limits apply – See MPPL on website for details

**3** Prior Authorization Required if Beneficiary is Over the Age of 65.

**4** Prior Authorization Required for Beneficiaries Under Age of 6.

**5** PA required if a benzodiazepine is found in beneficiary drug history

**7** Providers should consult yearly CDC guidelines for Influenza

**8** Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

**9** PA required if no history of oral anti-nausea drugs in beneficiary drug history

**10** Prior Authorization Required for Beneficiaries Under Age of 15.

**11** Prior Authorization Required for Beneficiaries Under Age of 18.

**12** Components of product must be in drug history

**13** Concurrent use or trial of metformin required

**14** Trial of OTC benzoyl peroxide must be in beneficiary drug history

**15** Electronic Step edit: a statin must be in beneficiary drug history

**16** Prior Authorization Required for Beneficiaries Over Age of 15

**17** Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions



# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>CENTRAL NERVOUS SYSTEM DRUGS</b>		
Drug Class	Preferred Agents	Non-Preferred Agents
		<i>Zembrace Symtouch®</i> <i>zolmitriptan, zolmitriptan ODT</i> <i>Zomig® tablet/ Zomig ZMT®</i>
<b>Skeletal Muscle Relaxants</b>	baclofen chlorzoxazone cyclobenzaprine orphenadrine citrate tizanidine tablets	<i>Amrix®</i> <i>cyclobenzaprine ER</i> <i>Dantrium®</i> <i>dantrolene sodium</i> <i>Fexmid®</i> <i>Lorzone®</i> <i>metaxolone</i> <i>methocarbamol</i> <i>Norflex®</i> <i>orphenadrine compound</i> <i>Parafon Forte DSC®</i> <i>Robaxin®</i> <i>Skelaxin®</i> <i>tizanidine capsules</i> <i>Zanaflex® capsules and tablets</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flsc.com](http://michigan.flsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>DERMATOLOGICAL AGENTS</b>		
<b>Drug Class</b>	<b>Preferred Agents</b>	<b>Non-Preferred Agents</b>
<b>Combination Benzoyl Peroxide and Clindamycin<sup>14</sup></b>	Acanya® gel Benzaclin®	<i>clindamycin / benzoyl peroxide Duac® Neuac 1.25% kit® Onexton w/ pump®</i>
<b>Immunomodulators: Atopic Dermatitis♦</b>	Elidel®	<i>Dupixent® Eucrisa® tacrolimus Protopic®</i>
<b>Topical Steroids – Low Potency</b>	hydrocortisone acetate cream hydrocortisone acetate ointment hydrocortisone cream hydrocortisone gel hydrocortisone lotion hydrocortisone solution hydrocortisone ointment	<i>aclometasone dipropionate ointment and cream Aqua Glycolic HC® Capex® shampoo Derma-smooth – FS ® Desonate® gel Desonide® ointment, cream, lotion Desowen® ointment, cream, lotion fluocinolone 0.01% oil hydrocortisone acetate/urea hydrocortisone/aloe - ointment and gel Micort-HC® Pediaderm TA®, Pediaderm HC® Scalpicin® Texacort ® Verdeso®</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.fhsc.com](http://michigan.fhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>DERMATOLOGICAL AGENTS</b>		
<b>Drug Class</b>	<b>Preferred Agents</b>	<b>Non-Preferred Agents</b>
<b>Topical Steroids – Medium Potency</b>	fluticasone propionate cream fluticasone propionate ointment mometasone furoate ointment mometasone furoate cream mometasone furoate solution	<i>betamethasone valerate foam</i> <i>Cloderm®</i> <i>Cordran® tape</i> <i>clocortolone cream</i> <i>Cutivate® cream and lotion</i> <i>Dermatop® cream and ointment</i> <i>Elocon ® cream and solution</i> <i>fluandrenolide cream and lotion</i> <i>flucinolone acetonide cream, lotion, solution</i> <i>fluticasone propionate lotion</i> <i>hydrocortisone butyrate cream, ointment, solution</i> <i>hydrocortisone valerate cream and ointment</i> <i>Luxiq®</i> <i>Pandel®</i> <i>prednicarbate cream and ointment</i> <i>Synalar® solution, cream and ointment</i> <i>Synalar TS® kit</i>
<b>Topical Steroids – High Potency</b>	betamethasone valerate cream betamethasone valerate ointment betamethasone valerate lotion triamcinolone acetonide cream triamcinolone acetonide ointment triamcinolone acetonide lotion	<i>amcinonide cream, ointment and lotion</i> <i>betamethasone dipropionate cream, gel and ointment</i> <i>betamethasone dipropionate/propylene glycol cream, lotion and ointment</i> <i>DermacinRx Silapak®</i> <i>DermacinRx Silazone®</i> <i>desoximetasone cream, ointment and gel</i> <i>diflorasone diacetate cream and ointment</i> <i>Diprolene AF® cream and ointment</i> <i>Diprolene® ointment</i> <i>Ellzia PAK®</i> <i>fluocinonide cream, ointment and gel</i> <i>fluocinonide emollient and solution</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

DERMATOLOGICAL AGENTS		
Drug Class	Preferred Agents	Non-Preferred Agents
		<i>Halog® cream and ointment</i> <i>Kenalog® aerosol</i> <i>Sernivo®</i> <i>Silaczone-II®</i> <i>Topicort® cream, ointment and spray</i> <i>Trianex® ointment</i> <i>Vanos®</i>
<b>Topical Steroids – Very High Potency</b>	clobetasol propionate solution clobetasol propionate cream clobetasol propionate ointment clobetasol propionate gel	<i>Apexicon E®</i> <i>clobetasol emollient and lotion</i> <i>clobetasol propionate foam, spray and shampoo</i> <i>Clobex® lotion, spray and shampoo</i> <i>Clodan® shampoo and kit</i> <i>halobetasol propionate ointment and cream</i> <i>Olux®</i> <i>Olux-E®</i> <i>Temovate® cream, emollient, gel, ointment, solution</i> <i>Ultravate® cream, lotion and ointment</i> <i>Ultravate PAC® cream and ointment</i> <i>Ultravate X PAC® cream and ointment</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.fhsc.com](http://michigan.fhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>DIABETES</b>		
<b>Drug Class</b>	<b>Preferred Agents</b>	<b>Non-Preferred Agents</b>
<b>Amylin Analogs</b>	Symlin®	
<b>Incretin Mimetics</b>	Bydureon® Byetta® Victoza®	Adlyxin® Tanzeum® Trulicity®
<b>Incretin Mimetics - Combinations</b>		Soliqua® Xultophy®
<b>Insulins, Basal</b>	Lantus® Levemir®	Basaglar® Toujeo Solostar® Tresiba Flextouch®
<b>Insulins, Rapid Acting</b>	Apidra® Humalog® Novolog®	Afrezza® Fiasp®
<b>Insulin, Mixes</b>	Humalog 50/50® Humalog 75/25® Humulin 50/50® Humulin 70/30® Novolin 70/30® Novolog 70/30®	
<b>Insulins, Traditional</b>	Humulin R 500-U® Humulin N® Humulin R® Novolin N® Novolin R®	
<b>Oral Hypoglycemics – Alpha-Glucosidase Inhibitors</b>	Acarbose Glyset®	miglitol Precose®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flsc.com](http://michigan.flsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>DIABETES</b>		
<b>Drug Class</b>	<b>Preferred Agents</b>	<b>Non-Preferred Agents</b>
<b>Oral Hypoglycemics – Biguanides</b>	metformin / metformin XR	<i>Fortamet® and generic Glucophage® Glucophage XR® Glumetza® metformin (generic for Glumetza)</i>
<b>Oral Hypoglycemics – Combinations</b>	glyburide / metformin Invokamet® Janumet®/Janumet XR® Jentadueto® Xigduo®	<i>Actoplus Met® / Actoplus Met XR® alogliptin/metformin alogliptin/pioglitazone Avandamet® Avandaryl® Duetact® Glucovance® glipizide / metformin Invokamet XR® Jentadueto XR® Juvisync®<sup>12</sup> Kazano® Kombiglyze XR® Metaglip® Oseni® pioglitazone/glimepride pioglitazone/metformin Prandimet® Synjardy XR® repaglinide/metformin</i>
<b>Oral Hypoglycemics – Dopamine Receptor Agonists</b>		<i>Cycloset®</i>
<b>Oral Hypoglycemics – DPP4 Inhibitors</b>	Januvia® Tradjenta®	<i>alogliptin Glyxambi® Nesina® Onglyza®</i>

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

DIABETES		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>Oral Hypoglycemics – Meglitinides</b>	nateglinide repaglinide	<i>Prandin®</i> <i>Starlix®</i>
<b>Oral Hypoglycemics – 2nd Generation Sulfonylureas</b>	glimepiride glipizide / glipizide ER glyburide glyburide micronized	<i>Amaryl®</i> <i>Diabeta®</i> <i>Glucotrol® / Glucotrol XL®</i> <i>Glynase®</i>
<b>Oral Hypoglycemics – SGLT2 Inhibitors</b>	Farxiga® Invokana® Jardiance®	<i>Glyxambi®</i> <i>Synjardy®</i>
<b>Oral Hypoglycemics – Thiazolidinediones</b>	pioglitazone	<i>Actos®</i> <i>Avandia®</i>

GASTROINTESTINAL		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>Antiemetics (combined anti nausea and substance P receptor agonists into Antiemetic class)</b>	Emend® granisetron ondansetron	<i>aprepitant</i> <i>Akynzeo®</i> <i>Anzemet®</i> <i>Emend Pack®</i> <i>Kytril® Brand</i> <i>Sancuso®</i> <i>Varubi®</i> <i>Zofran® / Zofran ODT® Brand</i> <i>Zuplenz®</i>
<b>Bile Salts</b>	ursodiol tablets	<i>Actigall®</i> <i>Urso®/Urso Forte®</i> <i>ursodiol capsules</i>

- 1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.
- 2 Quantity limits apply – See MPPL on website for details
- 3 Prior Authorization Required if Beneficiary is Over the Age of 65.
- 4 Prior Authorization Required for Beneficiaries Under Age of 6.
- 5 PA required if a benzodiazepine is found in beneficiary drug history
- 7 Providers should consult yearly CDC guidelines for Influenza
- 8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history
- 9 PA required if no history of oral anti-nausea drugs in beneficiary drug history
- 10 Prior Authorization Required for Beneficiaries Under Age of 15.
- 11 Prior Authorization Required for Beneficiaries Under Age of 18.

- 12 Components of product must be in drug history
- 13 Concurrent use or trial of metformin required
- 14 Trial of OTC benzoyl peroxide must be in beneficiary drug history
- 15 Electronic Step edit: a statin must be in beneficiary drug history
- 16 Prior Authorization Required for Beneficiaries Over Age of 15
- 17 Electronic Step edit: 2 or more NSAIDs on MPPL in history
- APAP = Acetaminophen ASA = Aspirin
- CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide
- ◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flsc.com](http://michigan.flsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

GASTROINTESTINAL		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>GI Motility, Chronic<sup>♦</sup></b>	Amitiza® Linzess® Movantik®	alosetron Lotronex® Relistor® <b>Symproic®</b> Trulance® Viberzi®
<b>H. pylori Treatment</b>	Pylera®	lansoprazole/amoxicillin/clarithromycin Omeclamox-PAK® Prevpac®
<b>Pancreatic Enzymes<sup>♦</sup></b>	Creon® Zenpep®	Pancrease® Pertzye® Viokace®
<b>Progestins for Cachexia</b>	megestrol oral suspension	Megace®oral suspension Megace ES® oral suspension
<b>Proton Pump Inhibitors<sup>♦</sup></b>	omeprazole (Rx) pantoprazole	Aciphex® rabeprazole Dexilant® (formerly Kapidex®) esomeprazole magnesium esomeprazole strontium lansoprazole <b>Nexium® capsules</b> Nexium OTC® Nexium® Susp Pkts omeprazole OTC Prevacid / Prevacid 24HR® Prilosec® / Prilosec OTC® Protonix® Zegerid® / Zegerid OTC®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flsc.com](http://michigan.flsc.com) for other restrictions



# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

<b>GASTROINTESTINAL</b>		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>Ulcerative Colitis – Oral</b>	Apriso® Lialda® sulfasalazine/ sulfasalazine DR	Asacol HD® Azulfidine DR® balsalazide Colazal® Delzicol® Dipentum® Giazol® mesalamine (generic for Lialda) Pentasa® Uceris®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

OPHTHALMICS		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>Glaucoma – Alpha-2 Adrenergics</b>	apraclonidine brimonidine tartrate 0.1%	<i>Alphagan P</i> ® <b>brimonidine tartrate 0.15%</b> <i>lopidine</i> ®
<b>Glaucoma – Beta Blockers</b>	<b>Betoptic S</b> ® carteolol metipranolol timolol maleate	<i>Betagan</i> ® <b>betaxolol</b> <i>Betimol</i> ® <i>Istalol</i> ® <i>levobunolol</i> <i>Optipranolol</i> ® <i>Timoptic</i> ® <i>Timoptic XE</i> ®
<b>Glaucoma – Prostaglandin Analogues</b>	latanoprost Travatan Z®	<i>bimatoprost (generic for Lumigan)</i> <i>Lumigan</i> ® <i>Rescula</i> ® <i>travoprost (generic for Travatan)</i> ® <i>Xalatan</i> ® <i>Zioptan</i> ®
<b>Glaucoma – Carbonic Anhydrase Inhibitors</b>	Azopt® dorzolamide dorzolamide / timolol Simbrinza®	<i>Cosopt</i> ®/ <i>Cosopt PF</i> ® <i>Trusopt</i> ®
<b>Glaucoma – Combination Alpha-2 Adrenergic-Beta Blocker</b>	Combigan®	

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

OPHTHALMICS		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>Ophthalmic Antihistamines</b>	ketotifen fumarate (OTC Only) Pataday® Zaditor®	Alrex® azelastine Bepreve® Elestat® Emadine® epinastine ketotifen fumarate (RX Only) Lastacaft® olopatadine (generic for Patanol) Optivar® Patanol® Pazeo®
<b>Ophthalmic Mast Cell Stabilizers</b>	cromolyn sodium	Alocril® Alomide®
<b>Ophthalmic NSAIDs</b>	Acular® diclofenac flurbiprofen ketorolac	Acular LS® Acuvail® Bromday® bromfenac Bromsite® Ilevro® Nevanac® Ocufen® Prolensa® Voltaren®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

MISCELLANEOUS		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>Biologics: Agents to Treat Rheumatoid Arthritis</b>	Enbrel® Humira®	Actemra® SC Cimzia®, Cimzia Kit® Kevzara® Kineret® Orencia® SC Xeljanz®, Xeljanz XR® Simponi®
<b>Biologics: Agents to Treat Ankylosing Spondylitis</b>	Enbrel® Humira®	Cimzia®, Cimzia Kit® Cosentyx® Simponi®
<b>Biologics: Agents to Treat Juvenile Idiopathic Arthritis</b>	Enbrel® Humira®	Orencia® SC
<b>Biologics: Agents to Treat Plaque Psoriasis</b>	Enbrel® Humira®	Cosentyx® Otezla® Siliq® Stelara® Taltz® Tremfya®
<b>Biologics: Agents to Treat Psoriatic Arthritis</b>	Enbrel® Humira®	Cimzia®, Cimzia Kit® Cosentyx® Orencia® SC Otezla® Simponi® Stelara® Xeljanz®, Xeljanz XR®
<b>Biologics: Agents to Treat Crohn's Disease</b>	Humira®	Cimzia®, Cimzia Kit® Entyvio® Stelara®
<b>Biologics: Agents to Treat Ulcerative Colitis</b>	Humira®	Simponi® Entyvio®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

MISCELLANEOUS		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>Androgenic Agents (topical)</b>	Androgel® packet and gel pump	Androderm® Axiron® Fortesta® Natesto® Testim® testosterone Vogelxo®
<b>BPH Agents – Alpha Blockers</b>	alfuzosin doxazosin prazosin tamsulosin terazosin	Cardura® Cardura XR® Flomax® Rapaflo® Uroxatral®
<b>BPH Agents – 5-Alpha Reductase (5AR) Inhibitors</b>	dutasteride finasteride 5mg (generic for Proscar®)	Avodart® dutasteride/tamsulosin Jalyn® Proscar®
<b>Electrolyte Depletors</b>	calcium acetate <u>capsules</u> Renagel® Renvela® tablets	Auryxia® calcium acetate <u>tablets</u> Eliphos® Fosrenol® / Fosrenol® powder pak lanthanum Phoslo® Phoslyra® Renvela powder sevelamer capsules and (AG) tablet Velphoro®
<b>Epinephrine Injectable</b>	epinephrine (generic for Epi Pen®)	epinephrine (generic for Adrenaclick®) Epi Pen®, Epi Pen Jr®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

MISCELLANEOUS		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>Growth Hormones♦</b>	Norditropin® Norditropin Flexpro® Norditropin Nordiflex® Nutropin® Nutropin AQ®	Genotropin® Humatrope® Omnitrope® Saizen® Serostim® Zomacton ® Zorbtive®
<b>Hematopoietic Agents♦</b>	Aranesp® Epogen® Procrit®	
<b>Osteoporosis Agents: Bisphosphonates</b>	alendronate sodium	Actonel® alendronate sodium oral solution Atelvia® Binosto® Boniva® Didrone® etidronate Fosamax® Fosamax Plus D® Ibandronate risedronate (Actonel) risedronate (Atelvia)
<b>Osteoporosis Agents: Other</b>	calcitonin	Forteo® Miacalcin® Tymlos®
<b>Osteoporosis Agents: SERMs</b>	raloxifene	Evista®

1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.

2 Quantity limits apply – See MPPL on website for details

3 Prior Authorization Required if Beneficiary is Over the Age of 65.

4 Prior Authorization Required for Beneficiaries Under Age of 6.

5 PA required if a benzodiazepine is found in beneficiary drug history

7 Providers should consult yearly CDC guidelines for Influenza

8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history

9 PA required if no history of oral anti-nausea drugs in beneficiary drug history

10 Prior Authorization Required for Beneficiaries Under Age of 15.

11 Prior Authorization Required for Beneficiaries Under Age of 18.

12 Components of product must be in drug history

13 Concurrent use or trial of metformin required

14 Trial of OTC benzoyl peroxide must be in beneficiary drug history

15 Electronic Step edit: a statin must be in beneficiary drug history

16 Prior Authorization Required for Beneficiaries Over Age of 15

17 Electronic Step edit: 2 or more NSAIDs on MPPL in history

APAP = Acetaminophen ASA = Aspirin

CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide

♦ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.flhsc.com](http://michigan.flhsc.com) for other restrictions

# Michigan Department of Health and Human Services Preferred Drug List

Effective 4/17/2018

Preferred Agents do not require prior authorization, except as noted in the chart at the bottom of the page

MISCELLANEOUS		
Drug Class	Preferred Agents	Non-Preferred Agents
<b>Urinary Tract Antispasmodics</b>	oxybutynin / oxybutynin ER Toviaz® Vesicare®	<i>darifenacin ER</i> <i>Detrol®/ Detrol LA®</i> <i>Ditropan / Ditropan XL®</i> <i>Enablex®</i> <i>flavoxate HCL</i> <i>Gelnique®</i> <i>Myrbetriq®</i> <i>Oxytrol®</i> <i>Sanctura® / Sanctura XR®</i> <i>tolterodine/ tolterodine ER</i> <i>trospium/ trospium ER</i>

**Note:** Not all medications listed are covered by all MDHHS Programs. Check individual program coverage. For program drug coverage information, go to [michigan.fhsc.com](http://michigan.fhsc.com), open “Drug Coverage” and click on “MPPL Including Coverage Information” for all programs.

Michigan Department of Health and Human Services, in conjunction with Magellan Medicaid Administration, is pleased to offer an alternative means to submit pharmacy prior authorization (PA) requests for prescription drugs. This web-based process is designed to save prescribers time by providing a real-time pharmacy prior authorization. This process will supplement the more traditional means of requesting PAs by phone or fax, which will still be available to providers. In order to use Web PA, provider designees will need to register to receive a logon and password for the Web PA system. Detailed information on user registration and Web PA, including a web based tutorial, and a complete instruction is available at [michigan.fhsc.com](http://michigan.fhsc.com). For questions or assistance with registration, call the Magellan Medicaid Administration Web Support Call Center at 800-241-8726.

- 1 Prior Authorization Not Required for Beneficiaries Under the Age of 12.
- 2 Quantity limits apply – See MPPL on website for details
- 3 Prior Authorization Required if Beneficiary is Over the Age of 65.
- 4 Prior Authorization Required for Beneficiaries Under Age of 6.
- 5 PA required if a benzodiazepine is found in beneficiary drug history
- 7 Providers should consult yearly CDC guidelines for Influenza
- 8 Electronic Step edit: at least 1 component of the product must be in beneficiary drug history
- 9 PA required if no history of oral antinausea drugs in beneficiary drug history
- 10 Prior Authorization Required for Beneficiaries Under Age of 15.
- 11 Prior Authorization Required for Beneficiaries Under Age of 18.

- 12 Components of product must be in drug history
- 13 Concurrent use or trial of metformin required
- 14 Trial of OTC benzoyl peroxide must be in beneficiary drug history
- 15 Electronic Step edit: a statin must be in beneficiary drug history
- 16 Prior Authorization Required for Beneficiaries Over Age of 15
- 17 Electronic Step edit: 2 or more NSAIDs on MPPL in history
- APAP = Acetaminophen ASA = Aspirin
- CR, ER, SR, XL, XR, SA, LA = Extended Release, HCT = Hydrochlorothiazide
- ◆ Clinical PA required; refer to MPPL, MI Provider Manual or [michigan.fhsc.com](http://michigan.fhsc.com) for other restrictions